

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BROADWAY™ STAR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Plant Protection Product, Herbicide

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Limited
Melbourn Science Park - Cambridge Road - Unit H4, Building H
Melbourn Cambridgeshire - SG8 6HB
UNITED KINGDOM

Customer Information Number : +44 8006 89 8899

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

SGS : +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P280 Wear protective gloves.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.

Additional Labelling

EUH208 Contains formaldehyde, Cloquintocet-mexyl, pyroxsulam (ISO), Disodium maleate. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version 1.1 Revision Date: 09.04.2024 SDS Number: 800080004868 Date of last issue: 05.04.2024
Date of first issue: 05.04.2024

	Index-No. REACH Registration number		
Cloquintocet-mexyl	99607-70-2 01-2119381871-32-0002, 01-2119381871-32-0003, 01-2119403579-35-0000	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	7.08
pyroxsulam (ISO)	422556-08-9 613-327-00-4	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	7.01
florasulam (ISO)	145701-23-1 613-230-00-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	1.35
Sodium lignosulfonate	8061-51-6	Eye Irrit. 2; H319	>= 10 - < 20
citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	Eye Irrit. 2; H319	>= 3 - < 10
Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate	Not Assigned 939-538-4 01-2119976349-20, 01-2119976349-20-0003, 01-2119976349-20-0004, 01-2119976349-20-0005, 01-2119976349-20-0006, 01-2119976349-20-0007	Eye Irrit. 2; H319	>= 1 - < 3
Disodium maleate	371-47-1 206-738-1	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317 STOT SE 3; H335	>= 0.3 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

		(Respiratory system)	
--	--	----------------------	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|----------------------------|---|---|
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| If inhaled | : | Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. |
| In case of skin contact | : | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Suitable emergency safety shower facility should be available in work area. |
| In case of eye contact | : | Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area. |
| If swallowed | : | No emergency medical treatment necessary. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|--|
| Treatment | : | No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment. |
|-----------|---|--|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|------------------------------|---|---------------------------------------|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam |
|------------------------------|---|---------------------------------------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NOx)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, underwater.
See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Pick up and arrange disposal without creating dust.
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Kaolin	1332-58-7	Occupational exposure limit value (8-hour	2 mg/m3	IE OEL

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version 1.1 Revision Date: 09.04.2024 SDS Number: 800080004868 Date of last issue: 05.04.2024
Date of first issue: 05.04.2024

		reference period) (Respirable dust)		
		Long term exposure limit (Respirable dust)	0.1 mg/m3	2004/37/EC
Further information: Carcinogens or mutagens				

8.2 Exposure controls

Engineering measures

Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection : Use chemical goggles.
Chemical goggles should be consistent with EN 166 or equivalent.

Hand protection

Remarks : Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). When prolonged or frequently repeated contact may occur, a glove is recommended to prevent contact with the solid material. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version 1.1	Revision Date: 09.04.2024	SDS Number: 800080004868	Date of last issue: 05.04.2024 Date of first issue: 05.04.2024
----------------	------------------------------	-----------------------------	---

If there are no applicable exposure limit requirements or guidelines, use an approved respirator.
Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material.
For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Granules.
Colour	: Tan
Odour	: Musty
Odour Threshold	: No test data available
Melting point/range	: No test data available
Freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Flash point	: Method: closed cup Not applicable
Auto-ignition temperature	: 244 °C Method: EC Method A16 Ramped Temperature
pH	: 5.5 Concentration: 1 % Method: CIPAC MT 75 (1% dispersion)
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: Dispersible

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Vapour pressure	:	Not applicable
Relative density	:	No data available
Density	:	Not applicable
Bulk density	:	0.58 g/cm ³ Method: Tapped Volumetric
Relative vapour density	:	Not applicable

9.2 Other information

Explosives	:	No Method: EEC A14
Oxidizing properties	:	No
Self-ignition	:	No data available
Surface tension	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Strong acids Strong bases
--------------------	---	------------------------------

10.6 Hazardous decomposition products

Carbon oxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
Remarks: Based on data from similar materials |
| Acute inhalation toxicity | : Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials |

Components:

Cloquintocet-mexyl:

- | | |
|---------------------------|---|
| Acute oral toxicity | : LD50 (Rat, female): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5.42 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg |

pyroxsulam (ISO):

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): > 5,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : LC50 (Rat): > 5.42 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

toxicity

florasulam (ISO):

Acute oral toxicity	:	LD50 (Rat): > 6,000 mg/kg LD50 (Mouse): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute dermal toxicity

Sodium lignosulfonate:

Acute oral toxicity	:	LD50 (Rat, male and female): > 10,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.48 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

citric acid:

Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg Assessment: The substance or mixture has no acute oral toxicity LD50 (Rat): 3,000 - 12,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute dermal toxicity

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Acute oral toxicity	:	LD50: > 4,000 mg/kg Method: OECD Test Guideline 401 Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	:	LD50: > 2,000 mg/kg Method: OECD Test Guideline 402 Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

toxicity

Disodium maleate:

Acute oral toxicity : LD50 (Rat): 3,380 mg/kg

Skin corrosion/irritation

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Components:

citric acid:

Result : No skin irritation

Disodium maleate:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Product:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

Components:

pyroxsulam (ISO):

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Sodium lignosulfonate:

Result : Eye irritation

citric acid:

Result : Eye irritation

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Result : Mild eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Disodium maleate:

Species	:	Rabbit
Result	:	Eye irritation

Respiratory or skin sensitisation

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 429
Remarks	:	For similar material(s):

Components:

Cloquintocet-mexyl:

Species	:	Guinea pig
Assessment	:	May cause sensitisation by skin contact.

pyroxsulam (ISO):

Test Type	:	Local lymph node assay
Species	:	Mouse
Assessment	:	Does not cause skin sensitisation.

florasulam (ISO):

Remarks	:	Did not cause allergic skin reactions when tested in guinea pigs.
Remarks	:	For respiratory sensitization: No relevant data found.

Sodium lignosulfonate:

Remarks	:	Did not cause allergic skin reactions when tested in guinea pigs.
Remarks	:	For respiratory sensitization: No relevant data found.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Remarks	:	For skin sensitization: Did not demonstrate the potential for contact allergy in mice.
Remarks	:	For respiratory sensitization: No relevant data found.

Disodium maleate:

Test Type	:	Maximisation Test
Species	:	Guinea pig

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 406

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 429

Germ cell mutagenicity

Components:

Cloquintocet-mexyl:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

pyroxsulam (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

florasulam (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Sodium lignosulfonate:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

citric acid:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Components:

Cloquintocet-mexyl:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

pyroxsulam (ISO):

Carcinogenicity - Assessment : There was equivocal evidence of carcinogenic activity in long-term bioassays. These effects are not believed to be relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version 1.1	Revision Date: 09.04.2024	SDS Number: 800080004868	Date of last issue: 05.04.2024 Date of first issue: 05.04.2024
----------------	------------------------------	-----------------------------	---

to humans.

florasulam (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

citric acid:

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity

Components:

Cloquintocet-mexyl:

Reproductive toxicity - Assessment : Did not cause birth defects or any other fetal effects in laboratory animals.

pyroxsulam (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects or any other fetal effects in laboratory animals.

florasulam (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

citric acid:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.
Did not cause birth defects or any other fetal effects in laboratory animals.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.

STOT - single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Cloquintocet-mexyl:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

citric acid:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Disodium maleate:

Exposure routes : Inhalation
Target Organs : Respiratory system
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-RE toxicant.

Repeated dose toxicity

Components:

Cloquintocet-mexyl:

Remarks : In animals, effects have been reported on the following organs:
Liver.
Kidney.
Thymus.
Thyroid.
Bladder.
Bone marrow.

pyroxsulam (ISO):

Remarks : In animals, effects have been reported on the following organs:
Liver.

florasulam (ISO):

Remarks : In animals, effects have been reported on the following organs:
Kidney.

Sodium lignosulfonate:

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

citric acid:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Remarks : No relevant data found.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Cloquintocet-mexyl:

Based on physical properties, not likely to be an aspiration hazard.

pyroxsulam (ISO):

Based on physical properties, not likely to be an aspiration hazard.

florasulam (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Sodium lignosulfonate:

Based on available information, aspiration hazard could not be determined.

citric acid:

Based on physical properties, not likely to be an aspiration hazard.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Based on physical properties, not likely to be an aspiration hazard.

Disodium maleate:

Based on physical properties, not likely to be an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50 (Oncorhynchus mykiss (rainbow trout)): 56 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : ErC50 (Lemna minor (duckweed)): 0.026 mg/l
End point: Growth rate inhibition
Exposure time: 7 d

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.4 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Remarks: Information source: Internal study report

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Cloquintocet-mexyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.97 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: Method Not Specified.
Remarks: As the ester active substance.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.82 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: Method Not Specified.

Toxicity to algae/aquatic plants : EbC50 (alga Scenedesmus sp.): 0.63 mg/l
End point: Biomass
Exposure time: 96 h
Method: Method Not Specified.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

EbC50 (Lemna minor (duckweed)): > 0.42 mg/l
End point: Biomass
Exposure time: 14 d
Method: Method Not Specified.

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : oral LD50: > 2000 mg/kg bodyweight.
Species: Anas platyrhynchos (Mallard duck)

dietary LC50: > 5200 mg/kg diet.
Exposure time: 8 d
Species: Anas platyrhynchos (Mallard duck)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

contact LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

pyroxsulam (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 87.0 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (Lemna minor (duckweed)): 0.00257 mg/l
End point: Biomass
Exposure time: 72 h
Method: OECD 221.

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 3.2 - 10.1 mg/l
End point: survival

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

	Exposure time: 40 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10.4 mg/l End point: survival Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: static test
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to soil dwelling organisms	: LC50: > 10,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LC50: > 5000 mg/kg diet. Exposure time: 8 d Species: Colinus virginianus (Bobwhite quail) LD50: > 2000 mg/kg bodyweight. Species: Colinus virginianus (Bobwhite quail) oral LD50: > 107.4 micrograms/bee Exposure time: 48 h Species: Apis mellifera (bees) contact LD50: > 100 micrograms/bee Exposure time: 48 h Species: Apis mellifera (bees)
florasulam (ISO):	
Toxicity to fish	: Remarks: Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species). LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 or Equivalent
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 292 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 or Equivalent
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.00894 mg/l End point: Growth rate inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 or Equivalent

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

EC50 (Myriophyllum spicatum): > 0.305 mg/l
End point: Growth inhibition
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 119 mg/l
End point: mortality
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test

NOEC: > 2.9 mg/l
End point: Other
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 38.90 mg/l
End point: growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

MATC (Maximum Acceptable Toxicant Level): 50.2 mg/l
End point: growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1,320 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : Remarks: Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg).
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

oral LD50: 1047 mg/kg bodyweight.
Species: Coturnix japonica (Japanese quail)

dietary LC50: > 5,000 ppm
Exposure time: 8 d
Species: Anas platyrhynchos (Mallard duck)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

contact LD50: > 100 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Sodium lignosulfonate:

Toxicity to fish : Remarks: Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50 (Pimephales promelas (fathead minnow)): 615 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202 or Equivalent
Remarks: For this family of materials:

citric acid:

Toxicity to fish : Remarks: Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,516 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,535 mg/l
Exposure time: 24 h
Test Type: Static
Method: OECD Test Guideline 202 or Equivalent

12.2 Persistence and degradability

Components:

pyroxsulam (ISO):

Biodegradability : Test Type: aerobic
Biodegradation: 20 - 30 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

florasulam (ISO):

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Biodegradability : Result: Not biodegradable
Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Biodegradation: 2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD) : 0.012 kg/kg
Incubation time: 5 d

ThOD : 0.85 kg/kg

Stability in water : Degradation half life: > 30 d

Photodegradation : Rate constant: 7.04E-11 cm³/s
Method: Estimated.

Sodium lignosulfonate:

Biodegradability : Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Biodegradation: < 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301E
Remarks: 10-day Window: Fail

Photodegradation : Rate constant: 1.089E-10 cm³/s
Method: Estimated.

citric acid:

Biodegradability : Remarks: Material is expected to be readily biodegradable. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).

Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Pass

Test Type: aerobic
Biodegradation: 98 %
Exposure time: 7 d
Method: OECD Test Guideline 302B or Equivalent
Remarks: 10-day Window: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Biodegradability : Result: Readily biodegradable.
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Cloquintocet-mexyl:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 122 - 621

Partition coefficient: n-octanol/water : log Pow: 5.2 (25 °C)
pH: 7

pyroxsulam (ISO):

Partition coefficient: n-octanol/water :
log Pow: -1.01
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

florasulam (ISO):

Bioaccumulation : Species: Fish
Exposure time: 28 d
Temperature: 13 °C
Bioconcentration factor (BCF): 0.8
Method: Measured

Partition coefficient: n-octanol/water :
log Pow: -1.22
pH: 7.0
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Sodium lignosulfonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 3.2

Partition coefficient: n-octanol/water :
log Pow: -3.45
Method: Estimated.
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

citric acid:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 0.01 Method: Measured
Partition coefficient: n-octanol/water	:	log Pow: -1.72 (20 °C) Method: Measured Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Partition coefficient: n-octanol/water	:	Remarks: No relevant data found.
--	---	----------------------------------

Disodium maleate:

Partition coefficient: n-octanol/water	:	Remarks: No relevant data found.
--	---	----------------------------------

12.4 Mobility in soil

Components:

Cloquintocet-mexyl:

Distribution among environmental compartments	:	Koc: 38070 Method: Estimated. Remarks: Expected to be relatively immobile in soil (Koc > 5000).
---	---	---

pyroxsulam (ISO):

Distribution among environmental compartments	:	Koc: ≤ 42 Method: Estimated. Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).
---	---	---

florasulam (ISO):

Distribution among environmental compartments	:	Koc: 4 - 54 Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).
---	---	---

Stability in soil	:	Dissipation time: 0.7 - 4.5 d
-------------------	---	-------------------------------

Sodium lignosulfonate:

Distribution among environmental compartments	:	Koc: > 99999 Method: Estimated. Remarks: Expected to be relatively immobile in soil (Koc > 5000).
---	---	---

citric acid:

Distribution among environmental compartments	:	Remarks: No relevant data found.
---	---	----------------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

mental compartments

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Distribution among environmental compartments : Remarks: No relevant data found.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Cloquintocet-mexyl:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

pyroxsulam (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

florasulam (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Sodium lignosulfonate:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

citric acid:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Disodium maleate:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Components:

Cloquintocet-mexyl:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

pyroxsulam (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

florasulam (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sodium lignosulfonate:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

citric acid:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Fatty acid chlorides, C18 unsatd., reaction products with sodium N-methyltaurinate:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Disodium maleate:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Pyroxsulam, CLOQUINTOCET-MEXYL)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Pyroxsulam, CLOQUINTOCET-MEXYL)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Pyroxsulam, Cloquintocet-mexyl)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Pyroxsulam, Cloquintocet-mexyl)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR		
Packing group	:	III
Classification Code	:	M7
Hazard Identification Number	:	90

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F
Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Pyroxsulam, Cloquintocet-mexyl)

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



BROADWAY™ STAR

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.1	09.04.2024	800080004868	Date of first issue: 05.04.2024

2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
IE OEL	:	List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / TWA	:	Long term exposure limit
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Product code: GF-1364

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N