

BLUE N TANK MIX COMPATIBILITY IN CEREALS

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

ADJUVANTS		
Activator 90	<i>Codacide</i>	Silwett L-77
Adigor	Dash HC	Vivolt
Biopower	Kantor	

TRACE ELEMENTS		
Canola Bio	YaraVita Brassirel Pro	YaraVita Mancuflo
Epsotop	YaraVita Coptrel 500	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+*	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	YaraVita Foliar Potash	YaraVita Safe N300
Pro+ Fulvivex*	YaraVita Gramitrel	YaraVita Seniphos
YaraAmplix OptiNue	YaraVita Magflo 300	YaraVita Stopit
YaraAmplix Optitrac	YaraVita Magphos K	YaraVita Thiotrac 300
YaraAmplix Optivi	YaraVita Maize Boost	YaraVita Zintrac 700
YaraVita Bortrac 150	YaraVita Mancozin	

HERBICIDES		
Agritox	Hurricane SC	Pixaro EC
Atlantis OD	Incelo + Biopower	Proclus
Attribut	Inka SX	Proverb + Biopower
Axial Pro	Jubilee SX	Quelex
Boxer	Leystar	Ratio SX
Broadway Ultra + Phase II	Liberator	Shield Pro
Chekker OD	Lontrel 600	Slalom
Counter SX	Manhattan + Phase II	Spitfire
Dakota	Memphis + Phase II	Starane Hi-Load HL
Dingo	Monolith	Starane XL
Easel	Most Micro	Taxi
Foxtrot	Nevada	Topik
Galaxy	Omnera LQM	Vixen
Herboxone	Pacifica Plus + Biopower	Zypar
Hunter	Pelican Delta	

FUNGICIDES		
Amistar	Elatas Era + Univoq	Priaxor EC
Arizona	Fandango	Proline 275
Asara Xpro	Flexity	Prosaro
Aviator Xpro	Folicur	Questar
Caramba	Folicur + Talus	Revystar XE
Comet 200	Fontelis	Rylox
Custodia	Helix	Takumi SC
Cyflamid	Imtrex	Talus
Deacon	Kestrel	Thiopron
Deacon + Talus	Kumulus	Univoq
Decoy 250EC	Mirage	Unix
Elatas Era	Monkey	
Elatas Era + Questar	Priaxor EC + Revystar XE	

INSECTICIDES		
Clayton Sparta EC	Hallmark Zeon	Sumi-Alpha
Cythrion 500 EC	Insyst	Teppeki
Decis Forte	Mavrik	

PLANT GROWTH REGULATORS		
3C Chlormequat 750 (max rate 2.0 l/ha)	Medax Max	Stabilan 750 (max rate 2.0 l/ha)
3C Chlormequat 750 + Medax Top	Medax Top	Terpal
3C Chlormequat 750 + Sonis	Moddus	
Canopy	Sonis	

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

*Add Kinsidro Grow+ or Pro+ Fulvivex first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvivex is fully dispersed.

UPDATES:

New list; 27 Feb 24 - addition of Palio; 14th November 2024 - addition of Broadway Ultra, Incelo, Manhattan, Proverb and Pacifica Plus with adjuvant; 10th March 25 - addition of crop nutrition products; 14th April 2025 - alteration of Mixing Notes; 22nd April 2025 - update on mixing key; 3rd September 2025 - removed Broadway Star and Palio; 3rd February 2026 - removed Penncozeb, Thor, updated website address; 16th March 2026 - added Yara crop nutrition products

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23

BLUE N TANK MIX COMPATIBILITY FOR USE IN OILSEED RAPE

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

ADJUVANTS

Activator 90	<i>Codacide</i>	<i>Vivolt</i>
Adigor	Dash HC	
Biopower	Silwett L-77	

TRACE ELEMENTS

Canola Bio	YaraVita Brassitrel Pro	YaraVita Mancuflo
Epsotop	<i>YaraVita Coptrel 500</i>	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+ ^a	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	<i>YaraVita Foliar Potash</i>	<i>YaraVitaSafe N300</i>
Pro+ Fulvixex ^a	<i>YaraVita Gramitrel</i>	<i>YaraVita Seniphos</i>
YaraAmplix OptiNue	<i>YaraVita Magflo 300</i>	<i>YaraVita Stopit</i>
YaraAmplix Optitrac	<i>YaraVita Magphos K</i>	YaraVita Thiotrac 300
YaraAmplix Optivi	<i>YaraVita Maize Boost</i>	YaraVita Zintrac 700
YaraVita Bortrac 150	<i>YaraVita Mancozin</i>	

HERBICIDES

Astrokerb	Fusilade Forte	Lontrel 600
<i>Belkar</i>	Fusilade Max	<i>Panarex</i>
Centium CS	Kerb Flo 500	Ralos
Centurion Max	Kerb Flo	Select Prime
Cleancrop Forward	<i>Korvetto</i>	Shield Pro
Dymid	<i>LaDiva</i>	Sultan 500EC
<i>Falcon</i>	<i>Laser</i>	<i>Targa Super</i>
Fox	<i>Leopard 5 EC</i>	<i>VextaDim 240EC</i>

FUNGICIDES

Amistar	<i>Decoy 250EC</i>	Propulse
<i>Aviator Xpro</i>	<i>Follicur</i>	<i>Proline 275</i>
<i>Bogard</i>	<i>Kestrel</i>	<i>Prosaro</i>
Caramba	<i>Mirage</i>	Shepherd
<i>Custodia</i>	<i>Monkey</i>	Toprex
<i>Deacon</i>	Plover	

INSECTICIDES

Clayton Sparta EC	Insyst	Teppeki
Cythrln 500 EC	Mavrik	Tracer
<i>Decis Forte</i>	Steward	
Hallmark Zeon	<i>Sumi-Alpha</i>	

PLANT GROWTH REGULATORS

<i>Caryx</i>		
--------------	--	--

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

^aAdd Kinsidro Grow+ or Pro+ Fulvixex first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvixex is fully dispersed.

UPDATES:

New List. 2nd November 2023 - updated with new herbicides and fungicides; 14th November 2024 - added Astrokerb, Kerb Flo 500, Plover and Shepherd; 14th April 2025 - adjustment of Mixing Notes; 22nd April 25 - updated mixing key; 3rd February 2026 - removed Karate 2.5WG, updated website address; 16th March 2026 - added Yara crop nutrition products

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23
Hotline: 0800 689 8899 | ukhotline@corteva.com | www.corteva.com/uk

BLUE N TANK MIX COMPATIBILITY FOR USE IN POTATOES

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

ADJUVANTS

Activator 90	Biopower	Dash HC
Adigor	Codacide	Silwett L-77

HERBICIDES

Basagran SG	Leopard 5 EC	Shotput
Falcon	Most Micro	Titus + Vivolt
Fusilade Max	Panarex	
Laser	Sencorex Flo	

FUNGICIDES

Amistar	Option + Proxanil + Zorvec Endavia	Shinkon
Caligula	Option + Zorvec Endavia	Signum
Cariel Flex	Option + Proxanil + Zorvec Entecta	Vendetta
Enervin	Option + Zorvec Entecta	Versilus
Gachinko	Percos	Zorvec Endavia
Infinito	Proxanil	Zorvec Entecta
Lieto	Ranman Top	Zorvec Entecta + Phase II
Option	Revus	

INSECTICIDES

Clayton Sparta EC	Decis Forte	Sumi-Alpha
Cythrion 500 EC	Insyst	Teppeki

TRACE ELEMENTS

Canola Bio	YaraVita Brassitrel Pro	YaraVita Mancuflo
Epsotop	YaraVita Coptrel 500	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+ [®]	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	YaraVita Foliar Potash	YaraVita Safe N300
Pro+ Fulvivex [®]	YaraVita Gramitrel	YaraVita Seniphos
YaraAmplix OptiNue	YaraVita Magflo 300	YaraVita Stopit
YaraAmplix Optitrac	YaraVita Magphos K	YaraVita Thiotrac 300
YaraAmplix Optivi	YaraVita Maize Boost	YaraVita Zintrac 700
YaraVita Bortrac 150	YaraVita Mancozin	

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

*Add Kinsidro Grow+ or Pro+ Fulvivex first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvivex is fully dispersed.

UPDATES:

New List; 2nd November 2023 - additions to herbicides and fungicides; 14th November 2024 - addition of new herbicides and fungicides, including Zorvec Entecta; 10th March 25 - addition of Enervin; 14th April 2025 - adjustment of Mixing Notes; 22nd April 2025 - updated mixing key; 29th May 25 - removal of some Titus mixes; 3rd February 2026 - updated website address, removed mancozeb containing products; 16th March 2026 - addition of Yara crop nutrition products

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23

Hotline: 0800 689 8899 | ukhotline@corteva.com | www.corteva.com/uk

BLUE N TANK MIX COMPATIBILITY FOR USE IN SUGAR BEET

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

ADJUVANTS

Activator 90	Biopower	Dash HC
Adigor	Codacide	Silwett L-77

TRACE ELEMENTS

Canola Bio	YaraVita Brassitrel Pro	YaraVita Mancuflo
Epsotop	YaraVita Coptrel 500	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+ [#]	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	YaraVita Foliar Potash	YaraVita Safe N300
Pro+ Fulvixex [#]	YaraVita Gramitrel	YaraVita Seniphos
YaraAmplix OptiNue	YaraVita Magflo 300	YaraVita Stopit
YaraAmplix Optitrac	YaraVita Magphos K	YaraVita Thiotrac 300
YaraAmplix Optivi	YaraVita Maize Boost	YaraVita Zintrac 700
YaraVita Bortrac 150	YaraVita Mancozin	

HERBICIDES

Betasana SC	Fusilade Forte	Lontrel 600
Bettix WG	Fusilade Max	Panarex
Debut	Goltix 705C	Shield Pro
Ethofol	Laser	Targa Super
Falcon	Leopard 5 EC	Venzar 500SC

FUNGICIDES

Revystar XE	Thioproton	
--------------------	------------	--

INSECTICIDES

Clayton Sparta EC	Decis Forte	Insyst
Cythrion 500 EC	Hallmark Zeon	Teppeki

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

[#]Add Kinsidro Grow+ or Pro+ Fulvixex first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvixex is fully dispersed.

UPDATES:

2nd November - additional herbicides, fungicides and insecticides added; 14th November 2024 - addition of Debut and Venzar 500SC; 14th April 25 - adjustment of Mixing Notes; 22nd April 2025 - updated mixing key; 4th June 25 - added

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK.

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23

Technical Hotline: 0800 689 8899 | ukhotline@corteva.com | www.corteva.com/uk

BLUE N TANK MIX COMPATIBILITY FOR USE IN MAIZE

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

ADJUVANTS

Activator 90	Codacide	Vivolt
Adigor	Dash HC	
Biopower	Silwett L-77	

TRACE ELEMENTS

Canola Bio	YaraVita Brassitrel Pro	YaraVita Mancuflo
Epsotop	YaraVita Coptrel 500	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+ [#]	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	YaraVita Foliar Potash	YaraVita Safe N300
Pro+ Fulvivex [#]	YaraVita Gramitrel	YaraVita Seniphos
YaraAmplix OptiNue	YaraVita Magflo 300	YaraVita Stopit
YaraAmplix Optitrac	YaraVita Magphos K	YaraVita Thiotrac 300
YaraAmplix Optivi	YaraVita Maize Boost	YaraVita Zintrac 700
YaraVita Bortrac 150	YaraVita Mancozin	

HERBICIDES

Accent	Dragster + Vivolt	Oceal
Botiga	Dual Gold	Peak
Callisto	Elumis	Principal Forte + Codacide
Callisto + Dragster	Herboxone	Principal Forte + Vivolt
Callisto + Maister	Laudis	Rosan
Callisto + Principal Forte	Leystar	Shield Pro
Camix	Lontrel 600	Starane Hi-Load HL
Choriste	Maister	Titus + Vivolt
Dingo	Most Micro	Wing P
Dragster + Codacide	Nico Pro 45C	

INSECTICIDES

Cythrín 500 EC		
----------------	--	--

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

[#]Add Kinsidro Grow+ or Pro+ Fulvivex first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvivex is fully dispersed.

UPDATES:

New List: 2nd November 23 - updated list with new herbicides and insecticide; 14th November 2024 - addition of Dragster and Principal Forte mixes; 10th March 25 - addition of Botiga; 14th April 25 - adjustment of Mixing Notes; 22nd

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
 Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK.
 All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
 BlueN contains *Methylobacterium symbioticum* SB23

BLUE N TANK MIX COMPATIBILITY FOR USE IN GRASS

PLEASE ENSURE YOU READ THE NOTES SECTION BELOW

Always add BlueN to the tank mix last. Use a minimum water volume of 200 l/ha when using BlueN in tank mix.

This version supersedes all previous editions

BOLD CAPITALS = Physically & Biologically Compatible	<i>Italics</i> = Physically Compatible with Continuous Agitation	Red on Orange = Do not mix as bacterial survival is severely impacted
Normal = Physically Compatible	BOLD ITALICS = Biologically Compatible with Continuous Agitation	RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

Cabadex	Envy	Shield Pro
Dingo	Leystar	Sickle
Doxstar Pro	Kyleo	Thistlex
Easel	ProClova XL	

TRACE ELEMENTS

Canola Bio	YaraVita Brassitrel Pro	YaraVita Mancuflo
Epsotop	YaraVita Coptrel 500	YaraVita Mantrac Pro
Harbest	YaraVita Croplift Pro	YaraVita Molytrac 250
Kinsidro Grow+ [#]	YaraVita Ferleaf 100	YaraVita Phosamco Bio
Manganese Sulphate	YaraVita Follar Potash	YaraVita Safe N300
Pro+ Fulvix [#]	YaraVita Gramitrel	YaraVita Seniphos
YaraAmplix OptiNue	YaraVita Magflo 300	YaraVita Stopit
YaraAmplix Optitrac	YaraVita Magphos K	YaraVita Thiotrac 300
YaraAmplix Optivi	YaraVita Maize Boost	YaraVita Zintrac 700
YaraVita Bortrac 150	YaraVita Mancozin	

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk. For mixes that are supported physically, no information is available on the efficacy of the tank mix partner.

Important Note: Do not use any tank mix if the mixture cannot be applied within the recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials. Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

Mixing Notes:

Half fill the tank with clean water start agitation and add the required quantity of Blue N to the spray tank, wait until fully dissolved and dispersed before adding the remaining water. Maintain agitation during topping up the tank and whilst spraying. Spray within 6 hours of mixing Blue N. If using Blue N in tank mixture, then add Blue N to the spray tank last, when the tank is full of water, to allow for maximum dilution.

NOTES:

[#]Add Kinsidro Grow+ or Pro+ Fulvix first, slowly, to avoid excess foaming, into a spray tank partly filled with water. Only add other tank mix partners when Kinsidro Grow+ or Pro+ Fulvix is fully dispersed.

UPDATES:

New List; 10th March 25 - addition of Proclova XL; 14th April 25 - adjustment of Mixing Notes; 22nd April updated mixing key; 3rd February 2026 - updated website address; 16th March 2026 - added Yara crop nutrition products

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.

FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL

Corteva Agriscience™, Unit H4, Building H, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB, UK

All other brand names are trademarks of other manufacturers for which proprietary rights may exist.

BlueN contains *Methylobacterium symbioticum* SB23

Hotline: 0800 689 8899 | ukhotline@corteva.com | www.corteva.com/uk