

BROADWAY STAR® TANK MIX COMPATIBILITY in WINTER WHEAT, RYE & TRITICALE

PLEASE ENSURE YOU READ THE NOTES SECTION

This version supersedes all previous editions

Normal = Physically Compatible

Italics = Physically Compatible with Continuous Agitation

Red on Blue = Physically Incompatible

BOLD CAPITALS = Physically & Biologically Compatible

Bold Italics = Biologically Compatible with Continuous Agitation

RED CAPITAL ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

FOR DEFY READ ACROSS TO CLAYTON COMPLY, CLAYTON OBEY, QUIDAM, ROXY, SPINNAKER, TOPSAIL & WICKET

FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS, MOST MICRO & TORRES

FOR ALLY MAX SX READ ACROSS TO ALIAS SX, ANSWER SX, AVRO SX, BIPLAY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FINISH SX, GROPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE SX, RATIO SX, REFINE MAX SX, SIMBA SX, TRATON SX

FOR HARMONY M SX READ ACROSS TO CONCERT SX AND PENNANT

ALIAS SX	FIREBIRD [®]	NEVADA* + TOPIK [®] +/- ACTIROB B	SPITFIRE* (0.75 l/ha)
ALLY MAX SX	Fox	ORIENT [®]	SPITFIRE* + TOPIK [®] +/- ACTIROB B
ALLY MAX SX + STOMP 400 SC	GF-184*	Parana	STARANE HI-LOAD HL
ANSWER SX	Giddo	PENNANT	STARANE HI-LOAD HL + STOMP 400 SC [®]
AVRO SX	GROPPER SX	PicoMax [®]	STARANE XL*
Axial Pro	HARMONY M SX	PICONA [®]	STARANE XL* + STOMP 400 SC [®]
BARTON WG*	HERBOXONE	PICONA + PIXXARO + BIOSYL/SURFER [®]	Stomp Aqua (add first) [®]
BIPLAY SX	HUNTER*	PICONA + ZYPAR + BIOSYL [®]	STOMP AQUA + ZYPAR + BIOSYL [®]
BOXER*	HURRICANE + PIXXARO + BIOSYL/SURFER [®]	PicoPro [®]	STOMP 400 SC [®]
CALIBRE SX	HURRICANE + ZYPAR + BIOSYL [®]	PicoStomp [®]	STOMP 400 SC + TOPIK [®]
CHIMERA SX	HURRICANE [®]	PIXXARO	STOMP 400 SC + TOWER [®]
CLAYMORE + TOWER	INKA SX	PIXXARO + STOMP 400 SC + BIOSYL [®]	STOMP 400 SC + ZYPAR + BIOSYL [®]
CLEANCROP MONDIAL	JUBILEE SX	PIXXARO + STOMP AQUA + BIOSYL [®]	Sunfire + BioSyl [®]
CONCERT SX	Lantern + BioSyl [®]	POLO (14 day interval)	System 50 + BioSyl [®]
Crystal + Activator 90 [®]	LEYSTAR*	PRESITE SX	TAXI
Defy [®]	Liberator [®]	PROSPECT + STOMP 400 SC	TOPIK [®]
DEFY + GIDDO	LIBERATOR + PIXXARO + BIOSYL/SURFER [®]	Quelex*	Tower
DEFY + HURRICANE	LIBERATOR + ZYPAR + BIOSYL [®]	Quirinus + BioSyl [®]	TRATON SX
DEFY + LIBERATOR	LORATE	RATIO SX	Trooper [®]
DICAMBA PRODUCTS (14 day interval)	MATTERA*	REFINE MAX SX	XERTON + BIOSYL
DINGO*	MCPA (14 day interval)	SAXON (14 day interval)	ZYPAR*
Duplosan KV	MOST MICRO + QUIDAM [®]	Seduce	
DUPLOSAN KV + STOMP 400 SC [®]	MOZAIC SX	SIMBA SX	
FINISH SX	NEVADA* (0.75 l/ha)	SLALOM*	

FUNGICIDES

Agate + Abacus	Caramba 90	Inconiq + Aprovia Plus	PROSARO** + TALUIS
AMISTAR	Caramba 90 + Peacog + Priaxor	Iodus (biofungicide elicitor)	Provyto XE
Aquino + Arizona + Caramba 90 + Syrex	COLORADO	JAUNT	Questar + Velogy Plus
Aquino + Arizona + Syrex	COLORADO + ELATUS ERA	LIBRAX	Revystar XE
Aquino + Syrex	COLORADO + LIBRAX	LIBRAX + MIRROR	SAKURA
ARIZONA	COLORADO + PROSARO	LIBRAX + MOJAVE	Sentinel**
ARIZONA + AVIATOR 235 XPRO	COMET 200	LIBRAX + TALUIS	SERPENT
Arizona + Caramba 90 + Peacog + Priaxor	CYFLAMID	MIRAGE	SKYWAY 285 XPRO
ARIZONA + ELATUS ERA	Decoy 250EC	MIRROR	SPARTICUS XPRO
Arizona + Elatus Plus + Peacog	Decoy 250EC + Kavatur Plus + Mojave	MIRROR + PROSARO	SWIFT SC
Arizona + Inconiq + Aprovia Plus	Decoy 250EC + Mojave + Serpent	Mivyto XE	SYREX
ARIZONA + LIBRAX	Decoy 250EC + Mojave + Silvran Xpro	MOJAVE	TALUIS
Arizona + Pegtiga + Helix	Diadem XE	Mojave + Myresa + Syrex	TOLEDO
Arizona + Pegtiga + Tesanto	ELATUS ERA	MOJAVE + PROSARO	TOLEDO + BIOSYL 1%
ARIZONA + PROSARO	ELATUS ERA + MIRROR	Mojave + Vegas	Tucana
Arizona + Questar + Velogy Plus	ELATUS ERA + MOJAVE	Monkey + Abacus	ULYSSES
Ascra Xpro	ELATUS ERA + TALUIS	Orius P + Abacus	ULYSSES + BIO SYL 1%
AVIATOR 235 XPRO	Elatus Plus + Peacog	Peacog + Priaxor	Univoq
AVIATOR 235 XPRO + COLORADO	FANDANGO	Pegtiga + Helix	UNIX
AVIATOR 235 XPRO + CYFLAMID	Firefly	Pegtiga + Tesanto	Variano Xpro
AVIATOR 235 XPRO + MIRROR	Flyer 200	Phoenix	VEGAS
AVIATOR 235 XPRO + MOJAVE	Flyer 200 + Mojave + Vegas	Platoon 250	Verydor XE
AVIATOR 235 XPRO + TALUIS	FOLICUR	PRIAXOR	Vivid
Azoxystar	Guardian**	PROLINE 275	
Boogie Xpro	Imtrex	PROSARO**	

INSECTICIDES Don't mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Clayton Sparta	HALLMARK ZEON	Markate 50	Mavrik + BioSyl
Decis Protech	Kusti	Mavrik + Activator 90	Sven

ADJUVANTS

ABACUS (1% of spray vol)	BOOST (Zantra), TONTO (Frontier)	KINETIC (50 ml/ha)	Surfer (0.5% of spray vol)
ACTIVATOR 90 (0.1% of spray vol)	BUZZ (0.1% of spray vol)	Nelson	TORPEDO II (0.1% of spray vol)
ACTIVATOR 90 (0.1% of spray vol) + X-Change	DIAMOND (0.5% of spray vol)	RESPOND (0.5% of spray vol)	Validate (0.5% of spray vol)
ARMA (0.1% of spray vol)	DRILL (0.5% of spray vol)	ROLLER (50 ml/ha)	Velocity (0.5% of spray vol)
BIOPOWER (1.0 l/ha)	FELIX (0.5% of spray vol)	SPARTAN (0.1% of spray vol)	VIKING (0.5% of spray vol)
BIOSYL (1.0% of spray vol) + X-Change	FORTUNE (0.5% of spray vol)	SPRYTE AQUA (0.5% of spray vol) + X-Change	X-change
BIOSYL (1.0% of spray vol) aka Cogent (Procam)	KANTOR (0.15% of spray vol)	Spryte Aqua CF	

PLANT GROWTH REGULATORS Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only.†

ADJUST (< half dose)†	CANOPY	METEOR	TERPAL
3C CHLORMEQUAT 750 (<half dose)†	CERONE	MODDUS	

TRACE ELEMENTS For liquid fertilisers - leave a 7 day interval			
<i>Bortrac (3.0 l/ha)</i>	Liquid Mn 15% (3.0 l/ha)	MaxMan 400 (add trace element first)	<i>Rapitrel (3.0 l/ha)</i>
<i>Calfite Extra</i>	<i>Magflo 300 (4.0 l/ha)</i>	Max-phi Manganese	Safe-N 300 (10 l/ha)
Coptrel 500 (0.5 l/ha)	<i>Magistrate (5.0 l/ha)</i>	Mensa (5.0 l/ha) + Abacus	SMART ATS
<i>Croplift Pro (5.0 kg/ha)</i>	<i>Magphos K (10 l/ha)</i>	<i>Multiple Pro (1.0 l/ha)</i>	SMART MagiiK Manganese
<i>EpsoTop + Abacus</i>	Maize Boost (5.0 l/ha)	<i>NTS Triple Ten (4.0 l/ha)</i>	SMART Manganese
Foliar Potash (10 l/ha)	<i>Mancozin (2.0 l/ha)</i>	<i>Nutrino-Pro (20 l/ha)</i>	<i>Stem</i>
FMC BORON 15	<i>Mancuflo (2.0 l/ha)</i>	Nutri-Phite PGA	<i>Stopit (10 l/ha)</i>
<i>FMC Brock</i>	MANIFOL	<i>Proleaf Gate (3.5 l/ha)</i>	Sulphur F3000 (10 l/ha)
FMC COPPER	MANTRAC DF (3.0 kg)	<i>Proleaf Jettzin (3.0 l/ha)</i>	<i>Terrasorb Foliar Extra (2.0 l/ha)</i>
FMC Mn 500	Mantrac Pro (1.0 l/ha)	<i>Proleaf Manganese Extra (2.5 l/ha)</i>	Zintrac 700 (1.0 l/ha)
FMC SUPER 80	Master Magnesium + TE + pH modifier Optiphol	<i>Proleaf Quattro (1.5 l/ha)</i>	
<i>Gramitrel (2.0 l/ha)</i>	Master Manganese Plus	<i>Proleaf Rock (1.0 l/ha)</i>	

BIOSTIMULANTS			
BlueN [†]			

COMBINATION MIXES			
HERBICIDES PLUS FUNGICIDES			
Ally Max SX + Aviator 235 Xpro + Talius	<i>Duplosan KV + Ascra Xpro</i>	STOMP 400 SC + UNIX[®]	Zypar + Prosaro** + Talius
Ally Max SX + Prosaro**	STOMP 400 SC + AMISTAR[®]	Zypar + Aviator 235 Xpro	Zypar + Talius
Ally Max SX + Prosaro** + Talius	STOMP 400 SC + FANDANGO	Zypar + Aviator 235 Xpro + Talius	
Ally Max SX + Talius	STOMP 400 SC + FLEXITY	Zypar + Prosaro**	

HERBICIDES PLUS INSECTICIDES			
STOMP 400 SC + HALLMARK ZEON[®]			

HERBICIDES PLUS TRACE ELEMENTS			
Ally Max SX + FMC Copper	PIXXARO + FMC MANGANESE + BIOSYL	STOMP 400 SC + FMC Mn 500[®]	STOMP 400 SC + MANTRAC DF[®]
Dingo* + Nutri-Phite PGA	Spitfire* + Nutri-Phite PGA	STOMP 400 SC + FMC SUPER 80[®]	ZYPAR* + FMC JETT + BIOSYL
Leystar* + Nutri-Phite PGA	STOMP 400 SC + FMC BORON 15[®]	STOMP 400 SC + FMC ZINC	ZYPAR* + FMC MANGANESE 400 + BIOSYL
PIXXARO + FMC JETT + BIOSYL	STOMP 400 SC + FMC COPPER[®]	STOMP 400 SC + MANIFOL[®]	

INSECTICIDES PLUS TRACE ELEMENTS			
Hallmark Zeon + Max-phi Manganese			

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower’s risk.

Important Note: Do not use any tank mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES:
 Broadway Star should always be used with an approved adjuvant.
 Do not mix Broadway Star With OPs, MCPA and Dicamba.
 For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.
 Do not harrow or roll within 7 days before or after an application of Broadway Star.

KEY:
 #Topik is supported in mix with Broadway Star up to the end of February.
[®]Residual herbicides can be used in mixture or short sequence with Broadway Star while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines reducing residual activity then a **4 week** interval between the residual herbicide and an application of Broadway Star is recommended to maximise grass weed control - the tank mix is then no longer supported.
 *Do not exceed maximum total dose of florasulam within growing season.
 **Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.
 †Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.
[‡]Add BlueN to the spray tank last, when the tank is full of water to allow for maximum dilution.

UPDATES:
 February 2025: Removed - Cyclops, Hiker, Ice, Impact, Kansas, Manitoba, Mirador Xtra, Vareon, Contest. Intracrop Felix, Intracrop Warrior, Karate + Brock, Permasect, Gartrel; Added - Surfer (adjuvant) - Hurricane + Pixxaro + Surfer, Liberator + Pixxaro + Surfer, Picona + Pixxaro + Surfer, Stomp 400 EC + Pixxaro, Inatreq + Arizona + Elatus Plus, Inatreq + Arizona + Helix, Inatreq + Dithane 945 + Elatus Plus; August 2025: Added Quelex; September 2025: Added Mattera, removed Cinder mixes; December 2025: Updated website address; February 2026: Adjusted guidance on liquid fertiliser intervals between applications and removed Dithane mixes; 2nd April 2026 - added Gramitrel

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
 Corteva Agriscience™, Unit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB.
 ™ ® Trademarks of Corteva Agriscience and its affiliated companies.
 All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
 Broadway Star contains florasulam and pyroxsulam
 Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.com/uk

2nd April 2026

BROADWAY STAR® TANK MIX COMPATIBILITY IN SPRING WHEAT

PLEASE NOTE THE MAXIMUM DOSE RATE OF BROADWAY STAR IN SPRING WHEAT IS 200 gm/ha. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

PLEASE ENSURE YOU READ THE NOTES SECTION

This version supersedes all previous editions

Normal = Physically Compatible	<i>Italics = Physically Compatible with Continuous Agitation</i>	Red on Blue = Physically Incompatible
BOLD CAPITALS = Physically & Biologically Compatible	<i>Bold Italics</i> = Biologically Compatible with Continuous Agitation	RED ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT

AXIAL PRO	LIBERATOR + PIXXARO + BIOSYL	Topik [#]
DUPLOSAN KV	MCPA (14 day interval)	
HURRICANE + PIXXARO + BIOSYL	PIXXARO + BIOSYL	

FUNGICIDES

Aquino + Arizona + Syrex	COLORADO + ELATUS ERA	MIRROR + PROSARO
Aquino + Syrex	COLORADO + LIBRAX	Mivyto XE
ARIZONA	COLORADO + PROSARO	MOJAVE
ARIZONA + AVIATOR 235 XPRO	COMET 200	Mojave + Myresa + Syrex
ARIZONA + ELATUS ERA	CYFLAMID	MOJAVE + PROSARO
ARIZONA + ELATUS PLUS + PEACOCK	DECOY 250EC	Mojave + Vegas
ARIZONA + INCONIQ + VELOCITY PLUS	Decoy 250EC + Kavatur Plus + Mojave	PEACOCK + PRIAXOR
ARIZONA + LIBRAX	Decoy 250EC + Mojave + Serpent	PEQTIGA + ELATUS PLUS
ARIZONA + PEACOCK + PRIAXOR	Decoy 250EC + Mojave + Silvron Pro	PEQTIGA + TESANTO
ARIZONA + PEQTIGA + ELATUS PLUS	Diadem XE	PRIAXOR
Arizona + Peqtiga + Helix	ELATUS ERA	PROLINE 275
ARIZONA + PEQTIGA + TESANTO	ELATUS ERA + MIRROR	PROSARO*
ARIZONA + PROSARO	ELATUS ERA + MOJAVE	PROSARO* + TALIU
ARIZONA + QUESTAR + VELOCITY PLUS	ELATUS ERA + TALIU	Provyto XE
Aspra Xpro	ELATUS PLUS + PEACOCK	QUESTAR + VELOCITY PLUS
AVIATOR 235 XPRO	Flyer + Mojave + Vegas	Revystar XE
AVIATOR 235 XPRO + COLORADO	Guardian*	Sentinel*
AVIATOR 235 XPRO + CYFLAMID	INCONIQ + VELOCITY PLUS	TALIU
AVIATOR 235 XPRO + MIRROR	LIBRAX	UNIVOQ
AVIATOR 235 XPRO + MOJAVE	LIBRAX + MIRROR	VEGAS
AVIATOR 235 XPRO + TALIU	LIBRAX + MOJAVE	Verydor XE
AVIATOR 235 XPRO + VEGAS	LIBRAX + TALIU	
COLORADO	MIRROR	

INSECTICIDES DO NOT mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Clayton Sparta	KUSTI	
HALLMARK ZEON	Sven	

ADJUVANTS

ABACUS (1% of spray vol)	DIAMOND (0.5% of spray vol)	SPARTAN (0.1% of spray vol)
ACTIVATOR 90 (0.1% of spray vol)	DRILL (0.5% of spray vol)	SPRYTE AQUA (0.5% of spray vol) + X-Change
ACTIVATOR 90 (0.1% of spray vol) + X-Change	FELIX (0.5% of spray vol)	Spryte Aqua CF
ARMA (0.1% of spray vol)	FORTUNE (0.5% of spray vol)	Surfer (0.5% of spray vol)
BIOPOWER (1.0 l/ha)	KANTOR (0.15% of spray vol)	TORPEDO II (0.1% of spray vol)
BIOSYL (1.0% of spray vol) + X-Change	KINETIC (50 ml/ha)	Validate (0.5% of spray vol)
BIOSYL (1.0% of spray vol) aka Cogent (Procam)	Nelson	Velocity (0.5% of spray vol)
BOOST (Zantra), TONTO (Frontier)	RESPOND (0.5% of spray vol)	VIKING (0.5% of spray vol)
BUZZ (0.1% of spray vol)	ROLLER (50 ml/ha)	X-change

PLANT GROWTH REGULATORS Leave 7 day interval for full rate PGRs. When tank mixing use Broadway Star + adjuvant plus half rate CCC only†

3C CHLORMEQUAT 750 (<half dose)†		
----------------------------------	--	--

TRACE ELEMENTS For liquid fertilisers - leave a 7 day interval		
Bortrac (3.0 l/ha)	Maize Boost (5.0 l/ha)	Proleaf Jettzin
Calrite Extra	Mancozin (2.0 l/ha)	Proleaf Manganese Extra
Coptrel (0.5 l/ha)	Mancuflo (2.0 l/ha)	Proleaf Quattro
Croplift (5.0 kg/ha)	MANIFOL	Proleaf Quattro
Epso Top + Abacus	Mantrac 500 (1.0 l/ha)	Proleaf Rock
Foliar Potash (10 l/ha)	MANTRAC DF (3.0 kg/ha)	Rapitrel (3.0 l/ha)
FMC BORON 15	Master Magnesium + TE + pH modifier Optiphos	Safe-N (10 l/ha)
FMC Brock	Master Manganese Plus	SMART ATS
FMC COPPER	MaxMan 400 (add trace element first)	SMART Magiik Manganese
FMC Mn 500	Max-phi Manganese	SMART Manganese
FMC SUPER 80	Mensa + Abacus	Stem
Gramitrel (2.0 l/ha)	Multiple Pro	Stopit (10 l/ha)
Liquid Mn 15% (3.0 l/ha)	NTS Triple Ten	Sulphur F3000 (10 l/ha)
Magflo 300 (4.0 l/ha)	Nutrino-Pro	Terrasorb Foliar Extra
Magistrate	Nutri-Phite PGA	Zintrac 700 (1.0 l/ha)
Magphos K (10 l/ha)	Proleaf Gate	

BIOSTIMULANTS		
BlueN [‡]		

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

Important Note: Do not use any tank mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES:

Broadway Star should always be used with an approved adjuvant.
Do not mix Broadway Star With OPs, MCPA and Dicamba
For products containing MCPA or Dicamba respect a 14 day interval between them and Broadway Star.
Do not harrow or roll within 7 days before or after an application of Broadway Star.

KEY:

Topik is supported in mix with Avocet up to the end of February in autumn sown spring wheat only.
* Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.
† Corteva Agriscience only support Broadway Star in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.
‡Add BlueN to the spray tank last, when the tank is full of water to allow for maximum dilution.

UPDATES:

February 2025: Removed Intracrop Felix, Intracrop Warrior. Added: Inatreq + Arizona + Elatus Plus, Univog, Inatreq + Priaxor/Syrex; August 2025: Added BlueN; December 2025: Updated website address; February 2026: Adjusted guidance on liquid fertiliser intervals between applications and removed Dithane mixes; 2nd April - added Gramitrel

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
Corteva Agriscience™, Unit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB.
™ ® Trademarks of Corteva Agriscience and its affiliated companies.
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
Broadway Star contains florasulam and pyroxulam
Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.com/uk