

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Ireland and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	GRAZON™ PRO
Unique Formula Identifier (UFI)	:	DTJ4-F0X9-U00N-UHDY

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Plant Protection Product Herbicide
------------------------------	---	---------------------------------------

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience UK Limited
Melbourn Science Park - Cambridge Road - Unit H4, Building H
Melbourn Cambridgeshire - SG8 6HB
UNITED KINGDOM

Customer Information Number	:	+44 8006 89 8899
E-mail address	:	SDS@corteva.com

1.4 Emergency telephone number

SGS : +353 818 663 627

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Skin sensitisation, Sub-category 1B	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

- P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P391 Collect spillage.

Disposal:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. REACH Registration number	Classification	Concentration (% w/w)
Triclopyr-2-butoxyethyl ester	64700-56-7 265-024-8	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 2; H373 (Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	32.41
clopyralid (ISO)	1702-17-6 216-935-4 607-231-00-1	Eye Dam. 1; H318 Aquatic Chronic 1; H410	5.83

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version 1.2 Revision Date: 09.04.2024 SDS Number: 800080004766 Date of last issue: 05.04.2024
Date of first issue: 03.11.2023

		M-Factor (Chronic aquatic toxicity): 10	
Hydrocarbons, C9, aromatics	128601-23-0 918-668-5 01-2119455851-35	Flam. Liq. 3; H226 STOT SE 3; H335 (Respiratory system) STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 40 - < 50
Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide	Not Assigned 909-125-3 01-2119974115-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 3 - < 10
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8 273-234-6 01-2119964467-24	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 2.5 - < 3
Hydrocarbons, C10, aromatics, <1% naphthalene	1189173-42-9 918-811-1 01-2119463583-34-0008, 01-2119463583-34-0009, 01-2119463583-34-0010	STOT SE 3; H336 (Central nervous system) Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
If breathing is difficult, oxygen should be administered by qualified personnel.
- In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

which cannot be decontaminated should be disposed of properly.
Suitable emergency safety shower facility should be available in work area.

In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

If swallowed : Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Maintain adequate ventilation and oxygenation of the patient. If burn is present, treat as any thermal burn, after decontamination.
The decision of whether to induce vomiting or not should be made by a physician.
If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach.
No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
Skin contact may aggravate preexisting dermatitis.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

be toxic and/or irritating.
Combustion products may include and are not limited to:
Carbon oxides

5.3 Advice for firefighters

- | | | |
|---|---|--|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment. |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use water spray to cool unopened containers. |
| Further information | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- | | | |
|----------------------|---|--|
| Personal precautions | : | Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. |
|----------------------|---|--|

6.2 Environmental precautions

- | | | |
|---------------------------|---|---|
| Environmental precautions | : | If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
|---------------------------|---|---|

6.3 Methods and material for containment and cleaning up

- | | | |
|-------------------------|---|---|
| Methods for cleaning up | : | Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
Neutralize with chalk, alkali solution or ammonia.
See Section 13, Disposal Considerations, for additional infor- |
|-------------------------|---|---|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

mation.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store near acids.
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.
If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.
Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection : Use chemical goggles.
Chemical goggles should be consistent with EN 166 or equivalent.

Hand protection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

- | | |
|--------------------------|--|
| Remarks | : Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Styrene/butadiene rubber. Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. |
| Skin and body protection | : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. |
| Respiratory protection | : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. In confined or poorly ventilated areas, use an approved self-contained breathing apparatus or positive pressure air line with auxiliary self-contained air supply. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Yellow
Odour	: Aromatic
Odour Threshold	: No data available
Melting point/range	: Not applicable
Freezing point	No data available
Boiling point/boiling range	: No data available
Flammability	: Not applicable to liquids
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 55.1 °C Method: Pensky-Martens Closed Cup ASTM D 93, closed cup
Auto-ignition temperature	: No data available
pH	: 2.04 (20 °C) Method: pH Electrode (neat)
Viscosity	
Viscosity, dynamic	: No data available
Solubility(ies)	
Water solubility	: emulsifiable
Vapour pressure	: No data available
Relative density	: No data available
Density	: 1.03 g/mL
Relative vapour density	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

9.2 Other information

Explosives	:	No
Oxidizing properties	:	No data available
Evaporation rate	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. May form explosive dust-air mixture.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	None.
--------------------	---	-------

10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.
Decomposition products can include and are not limited to:
Carbon oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (Rat, female): 3,129 mg/kg Method: OECD Test Guideline 425
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

Components:

Triclopyr-2-butoxyethyl ester:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Acute oral toxicity : LD50 (Rat, male and female): 803 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: The LC50 value is greater than the Maximum Attainable Concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

clopyralid (ISO):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration., The LC50 value is greater than the Maximum Attainable Concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity

Hydrocarbons, C9, aromatics:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute inhalation toxicity : Remarks: Vapor concentrations are attainable which could be hazardous on single exposure.
May cause respiratory irritation and central nervous system depression.
Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness.

LC50 (Rat): > 10.2 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3.551 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD 401 or equivalent
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute oral toxicity
Remarks: For similar material(s):

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - < 1,600 mg/kg
Method: OECD 402 or equivalent
Remarks: For similar material(s):

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar material(s):
Maximum attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: For similar material(s):

Skin corrosion/irritation

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Components:

Triclopyr-2-butoxyethyl ester:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Species	:	Rabbit
Result	:	No skin irritation

Hydrocarbons, C9, aromatics:

Result	:	No skin irritation
--------	---	--------------------

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species	:	Rabbit
Result	:	Skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation

Components:

Triclopyr-2-butoxyethyl ester:

Species	:	Rabbit
Result	:	No eye irritation

clopyralid (ISO):

Species	:	Rabbit
Result	:	Corrosive

Hydrocarbons, C9, aromatics:

Result	:	No eye irritation
--------	---	-------------------

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species	:	Rabbit
Result	:	Corrosive

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Result	:	Corrosive
--------	---	-----------

Respiratory or skin sensitisation

Product:

Test Type	:	Local lymph node assay
Species	:	Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 429

Components:

Triclopyr-2-butoxyethyl ester:

Species : Guinea pig
Assessment : The product is a skin sensitiser, sub-category 1B.

clopyralid (ISO):

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

Hydrocarbons, C9, aromatics:

Assessment : Does not cause skin sensitisation.
Remarks : For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Remarks : For similar material(s):

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Remarks : For skin sensitization:
For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Remarks : For similar material(s):
Did not cause allergic skin reactions when tested in guinea pigs.

Remarks : For respiratory sensitization:
No relevant data found.

Germ cell mutagenicity

Components:

Triclopyr-2-butoxyethyl ester:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

clopyralid (ISO):

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Hydrocarbons, C9, aromatics:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Reaction mass of N,N-dimethyldodecan-1-amide and N,N-dimethyloctanamide:

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Germ cell mutagenicity- Assessment : For similar material(s)., In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Germ cell mutagenicity- Assessment : For similar material(s)., In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

Carcinogenicity

Components:

Triclopyr-2-butoxyethyl ester:

Carcinogenicity - Assessment : For similar active ingredient(s)., Triclopyr., Did not cause cancer in laboratory animals.

clopyralid (ISO):

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Hydrocarbons, C9, aromatics:

Carcinogenicity - Assessment : Xylene was not found to be carcinogenic in a National Toxicology Program bioassay in rats and mice.

Reproductive toxicity

Components:

Triclopyr-2-butoxyethyl ester:

Reproductive toxicity - Assessment : For similar active ingredient(s)., Triclopyr., In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Has been toxic to the fetus in laboratory animals at doses toxic to the mother., Did not cause birth defects in laboratory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

animals.

clopyralid (ISO):

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

Hydrocarbons, C9, aromatics:

Reproductive toxicity - Assessment : In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Has caused birth defects in laboratory animals only at doses producing severe toxicity in the mother., Exaggerated doses of xylene given orally to pregnant mice resulted in an increase in cleft palate, a common developmental abnormality in mice. In animal inhalation studies, xylene caused toxicity to the fetus but did not cause birth defects.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Reproductive toxicity - Assessment : For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Reproductive toxicity - Assessment : For similar material(s); In animal studies, did not interfere with reproduction. For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction. For similar material(s); Did not cause birth defects or any other fetal effects in laboratory animals.

STOT - single exposure

Product:

Exposure routes : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

Exposure routes : Inhalation
Assessment : May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Components:

Triclopyr-2-butoxyethyl ester:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

clopyralid (ISO):

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Hydrocarbons, C9, aromatics:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Exposure routes : Inhalation
Assessment : May cause respiratory irritation.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Exposure routes : Inhalation
Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Components:

Triclopyr-2-butoxyethyl ester:

Target Organs : Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

clopyralid (ISO):

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Hydrocarbons, C9, aromatics:

Remarks : In animals, effects have been reported on the following organs:
Blood.
Kidney.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Liver.

Xylene is reported to have caused hearing loss in laboratory animals upon exposure to high concentrations; such effects have not been reported in humans.

For the minor component(s):

Cumene.

Eye.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Remarks : For similar material(s):
Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Remarks : For similar material(s):
In animals, effects have been reported on the following organs:
Kidney.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Remarks : Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:

Triclopyr-2-butoxyethyl ester:

Based on physical properties, not likely to be an aspiration hazard.

clopyralid (ISO):

Based on physical properties, not likely to be an aspiration hazard.

Hydrocarbons, C9, aromatics:

May be fatal if swallowed and enters airways.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

May be harmful if swallowed and enters airways.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Based on physical properties, not likely to be an aspiration hazard.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Hydrocarbons, C10, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: Remarks: Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species). LC50 (Oncorhynchus mykiss (rainbow trout)): 1.47 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 21.6 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 16.6 mg/l End point: Growth rate inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 ErC50 (Myriophyllum spicatum): 0.190 mg/l Exposure time: 14 d NOEC (Myriophyllum spicatum): 0.0305 mg/l Exposure time: 14 d
Toxicity to soil dwelling organisms	: LC50: 224 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organ-	: Remarks: Material is slightly toxic to birds on an acute basis

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

isms (LD50 between 501 and 2000 mg/kg).

oral LD50: 1156 mg/kg bodyweight.
Exposure time: 14 d
Species: *Colinus virginianus* (Bobwhite quail)
GLP:yes

oral LD50: > 370 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)

contact LD50: > 413 µg/bee
Exposure time: 48 h
Species: *Apis mellifera* (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

Triclopyr-2-butoxyethyl ester:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.36 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 3.00 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Method: OECD Test Guideline 201

ErC50 (*Myriophyllum spicatum*): 0.0473 mg/l
Exposure time: 14 d

NOEC (*Myriophyllum spicatum*): 0.00722 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.0263 mg/l
Species: Rainbow trout (*Oncorhynchus mykiss*)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.6 mg/l
End point: number of offspring
Exposure time: 21 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version 1.2	Revision Date: 09.04.2024	SDS Number: 800080004766	Date of last issue: 05.04.2024 Date of first issue: 03.11.2023
----------------	------------------------------	-----------------------------	---

Species: Daphnia magna (Water flea)

LOEC: 5.1 mg/l

End point: number of offspring

Exposure time: 21 d

Species: Daphnia magna (Water flea)

MATC (Maximum Acceptable Toxicant Level): 2.9 mg/l

End point: number of offspring

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 521 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : oral LD50: 735 mg/kg bodyweight.
Exposure time: 21 d
Species: Colinus virginianus (Bobwhite quail)

dietary LC50: 1890 mg/kg diet.

Exposure time: 8 d

Species: Colinus virginianus (Bobwhite quail)

oral LD50: > 110 µg/bee

Exposure time: 48 h

End point: mortality

Species: Apis mellifera (bees)

contact LD50: > 100 µg/bee

Exposure time: 48 h

End point: mortality

Species: Apis mellifera (bees)

clopyralid (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 99.9 mg/l
Exposure time: 96 h
Test Type: static test

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 102 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 99 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Myriophyllum spicatum): > 3 mg/l
Exposure time: 14 d

NOEC (Myriophyllum spicatum): 0.0089 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Exposure time: 14 d

ErC50 (Selenastrum capricornutum (green algae)): 30.0 mg/l
End point: Growth rate inhibition
Exposure time: 72 h

Toxicity to microorganisms : (Bacteria): > 100 mg/l

Toxicity to fish (Chronic toxicity) : NOEC: 10.8 mg/l
End point: Other
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 17 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: static test
Method: OECD Test Guideline 211 or Equivalent

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg
Exposure time: 14 d
End point: survival
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : oral LD50: 1465 mg/kg bodyweight.
Species: Anas platyrhynchos (Mallard duck)

dietary LC50: > 5000 mg/kg diet.
Exposure time: 8 d
Species: Colinus virginianus (Bobwhite quail)

oral LD50: > 100 micrograms/bee
Exposure time: 48 h
End point: mortality
Species: Apis mellifera (bees)

contact LD50: > 98.1 micrograms/bee
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Hydrocarbons, C9, aromatics:

Toxicity to fish : Remarks: Material is toxic to aquatic organisms (LC50/EC50/IC50 between 1 and 10 mg/L in the most sensitive species).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

LC50 (Oncorhynchus mykiss (rainbow trout)): 9.22 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates : LC50 (saltwater mysid Mysidopsis bahia): 2.0 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l
Exposure time: 72 h
Remarks: For similar material(s):

Toxicity to terrestrial organisms : Remarks: Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).
Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

dietary LC50: > 6500 mg/kg diet.
Exposure time: 8 d
Species: Colinus virginianus (Bobwhite quail)

oral LD50: > 2150 mg/kg bodyweight.
Exposure time: 21 d
Species: Colinus virginianus (Bobwhite quail)

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14.8 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 7.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 16.06 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Toxicity to fish : Remarks: Material is harmful to aquatic organisms (LC50/EC50/IC50 between 10 and 100 mg/L in the most sensitive species).

LC50 (zebra fish (Brachydanio rerio)): 31.6 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 29 mg/l
End point: Growth rate inhibition
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
End point: Respiration rates.
Exposure time: 3 h
Remarks: For similar material(s):

Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l
End point: survival
Exposure time: 72 d
Species: Rainbow trout (Salmo gairdneri)
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l
End point: number of offspring
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: For similar material(s):

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Remarks: For similar material(s):

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 3 - 10 mg/l
Exposure time: 48 h
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 11 mg/l
Exposure time: 72 h
Remarks: For similar material(s):

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

Triclopyr-2-butoxyethyl ester:

Biodegradability : Result: Not biodegradable
Biodegradation: 18 %
Exposure time: 28 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Biochemical Oxygen Demand (BOD)
ThOD : 0.004 kg/kg
: 1.21 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): 8.7 d (25 °C)
pH: 7

Photodegradation : Rate constant: 2.3E-11 cm³/s
Method: Estimated.

clopyralid (ISO):

Biodegradability : Biodegradation: 5 - 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

ThOD : 0.71 kg/kg

Stability in water : Test Type: Hydrolysis
pH: 4 - 9
Method: Stable

Photodegradation : Test Type: Half-life (direct photolysis)

Hydrocarbons, C9, aromatics:

Biodegradability : Remarks: For the major component(s):
Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.
For some component(s):
Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

Result: Not biodegradable

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Biodegradability : Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Result: Readily biodegradable.
Biodegradation: > 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301F or Equivalent
Remarks: 10-day Window: Pass

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Chemical Oxygen Demand (COD) : 2.890 mg/g

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.
Remarks: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

Biodegradation: 2.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E or Equivalent
Remarks: 10-day Window: Fail

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Remarks: Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

12.3 Bioaccumulative potential

Components:

Triclopyr-2-butoxyethyl ester:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 110

Partition coefficient: n-octanol/water : log Pow: 4.62
pH: 7
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

clopyralid (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): < 1
Method: Measured

Partition coefficient: n-octanol/water :
log Pow: -2.63
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Hydrocarbons, C9, aromatics:

Partition coefficient: n-octanol/water : Remarks: For the major component(s):
Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).
For the minor component(s):
Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Partition coefficient: n-octanol/water : log Pow: < 3.44 (20 °C)
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 4.6
Method: OECD Test Guideline 107 or Equivalent
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Partition coefficient: n-octanol/water : Remarks: No data available for this product.
For similar material(s):
Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

12.4 Mobility in soil

Components:

Triclopyr-2-butoxyethyl ester:

Distribution among environmental compartments : Remarks: Calculation of meaningful sorption data was not possible due to very rapid degradation in the soil.
For the degradation product:
Triclopyr.
Potential for mobility in soil is very high (Koc between 0 and 50).

Stability in soil : Test Type: aerobic degradation
Dissipation time: 144 - 1,248 h

clopyralid (ISO):

Distribution among environmental compartments : Koc: 4.9
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Stability in soil : Test Type: aerobic degradation
Dissipation time: 71 d
Method: Estimated.

Hydrocarbons, C9, aromatics:

Distribution among environmental compartments : Remarks: No relevant data found.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Distribution among environmental compartments : Koc: 527.3
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Distribution among environmental compartments : Remarks: No relevant data found.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Distribution among environmental compartments : Remarks: No relevant data found.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Triclopyr-2-butoxyethyl ester:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

clopyralid (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Hydrocarbons, C9, aromatics:

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Endocrine disrupting properties

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Components:

Triclopyr-2-butoxyethyl ester:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

clopyralid (ISO):

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Hydrocarbons, C9, aromatics:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

lations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1993
RID	:	UN 1993
IMDG	:	UN 1993
IATA	:	UN 1993

14.2 UN proper shipping name

ADR	:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)
RID	:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics)
IMDG	:	FLAMMABLE LIQUID, N.O.S. (Hydrocarbons, C9, aromatics, Triclopyr-2-butoxyethyl Ester, Clopyralid)
IATA	:	Flammable liquid, n.o.s. (Hydrocarbons, C9, aromatics)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	:	3
RID	:	3
IMDG	:	3
IATA	:	3

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)

RID	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3

IMDG	
Packing group	: III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Labels : 3
EmS Code : F-E, S-E
Remarks : Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft) : 366
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft) : 355
Packing instruction (LQ) : Y344
Packing group : III
Labels : Flammable Liquids

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes(Triclopyr-2-butoxyethyl Ester, Clopyralid)

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

E1 ENVIRONMENTAL HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The substance is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H226	:	Flammable liquid and vapour.
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, Annex II and its amendments.



GRAZON™ PRO

Version	Revision Date:	SDS Number:	Date of last issue: 05.04.2024
1.2	09.04.2024	800080004766	Date of first issue: 03.11.2023

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

EC-Number - European Community number REACH - Regulation (EC) No 1907/2006 of the European Parliament and of Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

Further information

Classification of the mixture:

Flam. Liq. 3	H226
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1B	H317
STOT SE 3	H336
STOT SE 3	H335
STOT RE 2	H373
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

Product code: GF-1652

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / 6N