

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of South Africa and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : MOLOPO™ 200 GG

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Plant Protection Product, Herbicide

1.3 Details of the supplier of the safety data sheet**COMPANY IDENTIFICATION****Manufacturer/importer**

Corteva Agriscience RSA Proprietary Limited
Block A, 2nd Floor, Lakefield Office Park, 272 West Avenue
Centurion, Gauteng, 1063
SOUTH AFRICA

Customer Information : +27 11 218 8600
Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

24-Hour Emergency Contact: +32 3 575 55 55
Local Emergency Contact: +27 82 895 0621

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :

H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements :

Prevention:
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.

Response:
P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.

Disposal:
P501 Dispose of contents/container in accordance with applicable regulations.

Hazardous components which must be listed on the label:
tebuthiuron (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tebuthiuron (ISO)	34014-18-1	Acute Tox. 4; H302	20,42

SAFETY DATA SHEET



MOLOPO™ 200 GG

Version 2.0 Revision Date: 17.12.2021 SDS Number: 800080002661 Date of last issue: -
Date of first issue: 17.12.2021

	251-793-7 616-020-00-3	Eye Irrit. 2; H319 STOT RE 2; H373 (Pancreas) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
Substances with a workplace exposure limit :			
Kaolin	1332-58-7 310-194-1		>= 60 - < 70

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.
- If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product con-

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

tainer or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.
Avoid breathing dust.
Use personal protective equipment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
Prevent from entering into soil, ditches, sewers, undewater. See Section 12, Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
Pick up and arrange disposal without creating dust.
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Sweep up or vacuum up spillage and collect in suitable container for disposal.
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Avoid inhalation of vapour or mist.
Do not swallow.
Do not get in eyes.
Avoid contact with skin and eyes.
Avoid prolonged or repeated contact with skin.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

MOLOPO™ 200 GG

Version 2.0 Revision Date: 17.12.2021 SDS Number: 800080002661 Date of last issue: -
Date of first issue: 17.12.2021

Advice on common storage : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
Sucrose	57-50-1	TWA OEL-RL	10 mg/m ³	ZA OEL
Further information: Recommended Limit				
		STEL OEL-RL	20 mg/m ³	ZA OEL
Further information: Recommended Limit				

8.2 Exposure controls

Engineering measures

Use engineering controls to maintain airborne level below exposure limit requirements or guidelines.

If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation.

Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye protection : Use safety glasses (with side shields).
Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

Hand protection

Remarks : Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). When prolonged or frequently repeated contact may occur, a glove is recommended to prevent contact with the solid material. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Skin and body protection	: Wear clean, body-covering clothing.
Respiratory protection	: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	: Granules.
Colour	: White to brown
Odour	: Mild
Odour Threshold	: No test data available
pH	: Not applicable
Melting point/range	: No test data available
Freezing point	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Method: closed cup Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not expected to form explosive dust-air mixtures.
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Relative density	:	No data available
Solubility(ies)	:	
Water solubility	:	No test data available
Auto-ignition temperature	:	Not applicable
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available

9.2 Other informationNo data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stabilityNo decomposition if stored and applied as directed.
Stable under normal conditions.**10.3 Possibility of hazardous reactions**

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Strong acids Strong bases
--------------------	---	------------------------------

10.6 Hazardous decomposition products

Carbon oxides

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Components:****tebuthiuron (ISO):**

Acute oral toxicity : LD50 (Rat, female): 1.590 mg/kg

Acute inhalation toxicity : Remarks: No adverse effects are anticipated from single exposure to dust.
Based on the available data, respiratory irritation was not observed.

LC50 (Rat, male and female): > 5,78 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Symptoms: No deaths occurred at this concentration.

GLP: yes

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation**Components:****tebuthiuron (ISO):**

Result : No skin irritation

Kaolin:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation**Components:****tebuthiuron (ISO):**

Result : Mild eye irritation

Kaolin:

Species : Rabbit

Result : No eye irritation

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Respiratory or skin sensitisation**Components:****tebuthiuron (ISO):**

Assessment	:	Does not cause skin sensitisation.
Remarks	:	Did not cause allergic skin reactions when tested in guinea pigs.
Remarks	:	For respiratory sensitization: No relevant data found.

Germ cell mutagenicity**Components:****tebuthiuron (ISO):**

Germ cell mutagenicity- Assessment	:	In vitro genetic toxicity studies were negative in some cases and positive in other cases., Animal genetic toxicity studies were negative.
------------------------------------	---	--

Carcinogenicity**Components:****tebuthiuron (ISO):**

Carcinogenicity - Assessment	:	Did not cause cancer in laboratory animals.
------------------------------	---	---

Kaolin:

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.
------------------------------	---	---

Reproductive toxicity**Components:****tebuthiuron (ISO):**

Reproductive toxicity - Assessment	:	In animal studies, did not interfere with reproduction. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.
------------------------------------	---	--

STOT - single exposure**Components:****tebuthiuron (ISO):**

Assessment	:	Evaluation of available data suggests that this material is not an STOT-SE toxicant.
------------	---	--

Kaolin:

Assessment	:	Evaluation of available data suggests that this material is not
------------	---	---

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

an STOT-SE toxicant.

STOT - repeated exposure**Components:****tebuthiuron (ISO):**

Exposure routes	:	Oral
Target Organs	:	Pancreas
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****tebuthiuron (ISO):**

Remarks	:	In animals, effects have been reported on the following organs: Pancreas.
---------	---	--

Kaolin:

Remarks	:	Repeated excessive exposure to crystalline silica may cause silicosis, a progressive and disabling disease of the lungs.
---------	---	--

Aspiration toxicity**Components:****tebuthiuron (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

Kaolin:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: Ecological information**12.1 Toxicity****Components:****tebuthiuron (ISO):**

Toxicity to fish	:	Remarks: Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).
------------------	---	---

LC50 (Danio rerio (zebra fish)): 31,07 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l

SAFETY DATA SHEET



MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: semi-static test

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,1 mg/l
Exposure time: 72 h

EC50 (diatom Navicula sp.): 0,213 mg/l
Exposure time: 7 d

EC50 (Skeletonema costatum (marine diatom)): 0,1 mg/l
Exposure time: 7 d

EC50 (Lemna gibba): 0,235 mg/l
Exposure time: 14 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 9,3 mg/l
End point: growth
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test

NOEC: 26 mg/l
End point: survival
Exposure time: 45 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 21,8 mg/l
End point: number of offspring
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to terrestrial organisms : Remarks: Material is slightly toxic to birds on a dietary basis (LC50 between 1001 and 5000 ppm).

dietary LC50: > 5093 mg/kg diet.
Exposure time: 8 d
Species: Anas platyrhynchos (Mallard duck)

dietary LC50: 1636 mg/kg diet.
Exposure time: 8 d
Species: Taeniopygia guttata (Zebra Finch)

oral LD50: > 100 µg/bee

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Species: Apis mellifera (bees)

contact LD50: > 100 µg/bee

Exposure time: 48 h

Species: Apis mellifera (bees)

12.2 Persistence and degradability

Components:**tebuthiuron (ISO):**

Biodegradability : Result: Not readily biodegradable.
Remarks: Material is not readily biodegradable according to OECD/EEC guidelines.

ThOD : 2,66 kg/kg

Stability in water : Test Type: Hydrolysis
Degradation half life (half-life): > 64 d
pH: 3 - 9

Photodegradation : Test Type: Half-life (indirect photolysis)
Sensitiser: OH radicals
Concentration: 1.500.000 1/cm³
Rate constant: 3,32E-12 cm³/s
Method: Estimated.

12.3 Bioaccumulative potential

Components:**tebuthiuron (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,98 - 3,4
Method: Measured

Partition coefficient: n-octanol/water : log Pow: 1,83
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

12.4 Mobility in soil

Components:**tebuthiuron (ISO):**

Distribution among environmental compartments : Koc: 27
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

12.5 Results of PBT and vPvB assessment

Product:

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:**tebuthiuron (ISO):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

Kaolin:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:**tebuthiuron (ISO):**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Kaolin:

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

MOLOPO[™] 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

lations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information**14.1 UN number**

ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
IATA	:	UN 3077

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tebuthiuron)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tebuthiuron)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tebuthiuron)
IATA	:	Environmentally hazardous substance, solid, n.o.s. (Tebuthiuron)

14.3 Transport hazard class(es)

ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III

SAFETY DATA SHEET



MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

Labels	:	9
EmS Code	:	F-A, S-F
Remarks	:	Stowage category A

IATA (Cargo)

Packing instruction (cargo aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	:	956
Packing instruction (LQ)	:	Y956
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous	:	no
---------------------------	---	----

RID

Environmentally hazardous	:	no
---------------------------	---	----

IMDG

Marine pollutant	:	yes
------------------	---	-----

14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E2	ENVIRONMENTAL HAZARDS
---	----	-----------------------

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of H-Statements

H302	: Harmful if swallowed.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
STOT RE	: Specific target organ toxicity - repeated exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ZA OEL	: South Africa. Hazardous Chemical Substances Regulations, Occupational Exposure Limits
2004/37/EC / TWA	: Long term exposure limit
ZA OEL / TWA OEL-RL	: Long term occupational exposure limits - recommended limit
ZA OEL / STEL OEL-RL	: Short term occupational exposure limits - recommended limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -

MOLOPO™ 200 GG

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	17.12.2021	800080002661	Date of first issue: 17.12.2021

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Eye Irrit. 2	H319
STOT RE 2	H373
Aquatic Chronic 2	H411

Classification procedure:

Calculation method
Calculation method
Calculation method

Product code: GF-583

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / 6N