

PALIO® TANK MIX COMPATIBILITY in WINTER WHEAT, RYE & TRITICALE

PLEASE ENSURE YOU READ THE NOTES SECTION
This version supersedes all previous editions

Normal = Physically Compatible	<i>Italics = Physically Compatible with Continuous Agitation</i>	Red on Blue = Physically Incompatible
BOLD CAPITALS = Physically & Biologically Compatible	<i>Bold Italics</i> = Biologically Compatible with Continuous Agitation	RED ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

FOR DEFY READ ACROSS TO CLAYTON COMPLY, CLAYTON OBEY, QUIDAM, ROXY, SPINNAKER, TOPSAIL & WICKET			
FOR STOMP 400 EC READ ACROSS TO ANTHEM, CLAYMORE, EXIMUS, MOST MICRO & TORRES			
FOR ALLY MAX SX READ ACROSS TO ALIAS SX, ANSWER SX, AVRO SX, BIPLAY SX, CHIMERA SX, CLEANCROP MONDIAL, FINY, FINISH SX, GROPPER SX, INKA SX, JUBILEE SX, LORATE, PRESITE SX, RATIO SX, REFINE MAX SX, SIMBA SX, TRATON SX.			
FOR HARMONY M SX READ ACROSS TO CONCERT SX AND PENNANT.			
ALIAS SX	FIREBIRD [®]	NEVADA* + TOPIK [®] +/- ACTIROB B	SPITFIRE* (0.75 l/ha)
ALLY MAX SX	Fox	ORIENT [®]	SPITFIRE* + TOPIK [®] +/- ACTIROB B
ALLY MAX SX + STOMP 400 SC	GF-184*	Parana	STARANE HI-LOAD HL
ANSWER SX	Giddo	PENNANT	STARANE HI-LOAD HL + STOMP 400 SC [®]
AVRO SX	GROPPER SX	PicoMax [®]	STARANE XL*
Axial Pro	HARMONY M SX	PICONA [®]	STARANE XL* + STOMP 400 SC [®]
BARTON WG*	HERBOXONE	PICONA + PIXXARO + BIOSYL/SURFER [®]	Stomp Aqua (add first) [®]
BIPLAY SX	HUNTER*	PICONA + ZYPAR + BIOSYL [®]	STOMP AQUA + ZYPAR + BIOSYL [®]
BOXER*	HURRICANE + PIXXARO + BIOSYL/SURFER [®]	PicoPro [®]	STOMP 400 SC [®]
CALIBRE SX	HURRICANE + ZYPAR + BIOSYL [®]	PicoStomp [®]	STOMP 400 SC + TOPIK [®]
CHIMERA SX	HURRICANE [®]	PIXXARO	STOMP 400 SC + TOWER [®]
CLAYMORE + TOWER	INKA SX	PIXXARO + STOMP 400 SC + BIOSYL [®]	STOMP 400 SC + ZYPAR + BIOSYL [®]
CLEANCROP MONDIAL	JUBILEE SX	PIXXARO + STOMP AQUA + BIOSYL [®]	Sunfire + BioSyl [®]
CONCERT SX	Lantern + BioSyl [®]	POLO (14 day interval)	System 50 + BioSyl [®]
Crystal + Activator 90 [®]	LEYSTAR*	PRESITE SX	TAXI
Defy [®]	Liberator [®]	PROSPECT + STOMP 400 SC	TOPIK [®]
Defy + Giddo	LIBERATOR + PIXXARO + BIOSYL/SURFER [®]	Quelex*	Tower
Defy + Hurricane	LIBERATOR + ZYPAR + BIOSYL [®]	Quirinus + BioSyl [®]	TRATON SX
Defy + Liberator	LORATE	RATIO SX	Trooper [®]
Dicamba products (14 day interval)	MATTERA*	REFINE MAX SX	XERTON + BIOSYL
DINGO*	MCPA (14 day interval)	SAXON (14 day interval)	ZYPAR*
Duplosan KV	MOST MICRO + QUIDAM [®]	Seduce	
DUPLOSAN KV + STOMP 400 SC [®]	MOZAIC SX	SIMBA SX	
FINISH SX	NEVADA* (0.75 l/ha)	SLALOM*	

FUNGICIDES

Agate + Abacus	Caramba 90	Inconiq + Aprovia Plus	PROSARO** + TALIU
AMISTAR	Caramba 90 + Peacock + Priaxor	Iodus (biofungicide elicitor)	Provyto XE
Aquino + Arizona + Caramba 90 + Syrex	COLORADO	JAUNT	Questar + Velogy Plus
Aquino + Arizona + Syrex	COLORADO + ELATUS ERA	LIBRAX	Revystar XE
Aquino + Syrex	COLORADO + LIBRAX	LIBRAX + MIRROR	SAKURA
ARIZONA	COLORADO + PROSARO	LIBRAX + MOJAVE	Sentinel**
ARIZONA + AVIATOR 235 XPRO	COMET 200	LIBRAX + TALIU	SERPENT
Arizona + Caramba 90 + Peacock + Priaxor	CYFLAMID	MIRAGE	SKYWAY 285 XPRO
ARIZONA + ELATUS ERA	Decoy 250EC	MIRROR	SPARTICUS XPRO
Arizona + Elatus Plus + Peacock	Decoy 250EC + Kavatur Plus + Mojave	MIRROR + PROSARO	SWIFT SC
Arizona + Inconiq + Aprovia Plus	Decoy 250EC + Mojave + Serpent	Mivyto XE	SYREX
ARIZONA + LIBRAX	Decoy 250EC + Mojave + Silvron Xpro	MOJAVE	TALIU
Arizona + Pegtiga + Helix	Diadem XE	Mojave + Myresa + Syrex	TOLEDO
Arizona + Pegtiga + Tesanto	ELATUS ERA	MOJAVE + PROSARO	TOLEDO + BIOSYL 1%
ARIZONA + PROSARO	ELATUS ERA + MIRROR	Mojave + Vegas	Tucana
Arizona + Questar + Velogy Plus	ELATUS ERA + MOJAVE	Monkey + Abacus	ULYSSES
Ascro Xpro	ELATUS ERA + TALIU	Orius P + Abacus	ULYSSES + BIOSYL 1%
AVIATOR 235 XPRO	Elatus Plus + Peacock	Peacock + Priaxor	Univog
AVIATOR 235 XPRO + COLORADO	FANDANGO	Pegtiga + Helix	UNIX
AVIATOR 235 XPRO + CYFLAMID	Firefly	Pegtiga + Tesanto	Variano Xpro
AVIATOR 235 XPRO + MIRROR	Flyer 200	Phoenix	VEGAS
AVIATOR 235 XPRO + MOJAVE	Flyer 200 + Mojave + Vegas	Platoon 250	Verdydor XE
AVIATOR 235 XPRO + TALIU	FOLICUR	PRIAXOR	Vivid
Azoxystar	Guardian**	PROLINE 275	
Boogie Xpro	Imtrex	PROSARO**	

INSECTICIDES DO NOT mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Clayton Sparta	HALLMARK ZEON	Markate 50	Mavrik + BioSyl
Decis Protech	Kusti	Mavrik + Activator 90	Sven

ADJUVANTS

ABACUS (1% of spray vol)	BOOST (Zantra), TONTO (Frontier)	KINETIC (50 ml/ha)	Surfer (0.5% of spray vol)
ACTIVATOR 90 (0.1% of spray vol)	BUZZ (0.1% of spray vol)	Nelson	TORPEDO II (0.1% of spray vol)
ACTIVATOR 90 (0.1% of spray vol) + X-Change	DIAMOND (0.5% of spray vol)	RESPOND (0.5% of spray vol)	Validate (0.5% of spray vol)
ARMA (0.1% of spray vol)	DRILL (0.5% of spray vol)	ROLLER (50 ml/ha)	Velocity (0.5% of spray vol)
BIOPOWER (1.0 l/ha)	FELIX (0.5% of spray vol)	SPARTAN (0.1% of spray vol)	VIKING (0.5% of spray vol)
BIOSYL (1.0% of spray vol) + X-Change	FORTUNE (0.5% of spray vol)	SPRYTE AQUA (0.5% of spray vol) + X-Change	X-change
BIOSYL (1.0% of spray vol) aka Cogent (Procam)	KANTOR (0.15% of spray vol)	Spryte Aqua CF	

PLANT GROWTH REGULATORS Leave 7 day interval for full rate PGRs. When tank mixing use Palio + adjuvant plus half rate CCC only.†

ADJUST (< half dose)†	CANOPY	METEOR	TERPAL
3C CHLORMEQUAT 750 (< half dose)†	CERONE	MODDUS	

TRACE ELEMENTS For liquid fertilisers - leave a 7 day interval			
Bortrac (3.0 l/ha)	Liquid Mn 15% (3.0 l/ha)	MaxMan 400 (add trace element first)	Rapitrel (3.0 l/ha)
Calrite Extra	Magflo 300 (4.0 l/ha)	Max-phi Manganese	Safe-N 300 (10 l/ha)
Coptrel 500 (0.5 l/ha)	Magistrate (5.0 l/ha)	Mensa (5.0 l/ha) + Abacus	SMART ATS
Croplift Pro (5.0 kg/ha)	Magphos K (10 l/ha)	Multiple Pro (1.0 l/ha)	SMART MagiiK Manganese
EpsaTop + Abacus	Maize Boost (5.0 l/ha)	NTS Triple Ten (4.0 l/ha)	SMART Manganese
Foliar Potash (10 l/ha)	Mancozin (2.0 l/ha)	Nutrino-Pro (20 l/ha)	Stem
FMC BORON 15	Mancuflo (2.0 l/ha)	Nutri-Phite PGA	Stopit (10 l/ha)
FMC Brock	MANIFOL	Proleaf Gate (3.5 l/ha)	Sulphur F3000 (10 l/ha)
FMC COPPER	MANTRAC DF (3.0 kg)	Proleaf Jettzin (3.0 l/ha)	Terrasorb Foliar Extra (2.0 l/ha)
FMC Mn 500	Mantrac Pro (1.0 l/ha)	Proleaf Manganese Extra (2.5 l/ha)	Zintrac 700 (1.0 l/ha)
FMC SUPER 80	Master Magnesium + TE + pH modifier Optiphil	Proleaf Quattro (1.5 l/ha)	
Gramitrel (2.0 l/ha)	Master Manganese Plus	Proleaf Rock (1.0 l/ha)	

COMBINATION MIXES			
HERBICIDES PLUS FUNGICIDES			
Ally Max SX + Aviator 235 Xpro + Talius	Duplosan KV + Ascro Xpro	STOMP 400 SC + UNIX®	Zypar + Prosaro** + Talius
Ally Max SX + Prosaro**	STOMP 400 SC + AMISTAR®	Zypar + Aviator 235 Xpro	Zypar + Talius
Ally Max SX + Prosaro** + Talius	STOMP 400 SC + FANDANGO	Zypar + Aviator 235 Xpro + Talius	
Ally Max SX + Talius	STOMP 400 SC + FLEXITY	Zypar + Prosaro**	

HERBICIDES PLUS INSECTICIDES			
STOMP 400 SC + HALLMARK ZEON®			

HERBICIDES PLUS TRACE ELEMENTS			
Ally Max SX + FMC Copper	PIXXARO + FMC MANGANESE + BIO SYL	STOMP 400 SC + FMC Mn 500®	STOMP 400 SC + MANTRAC DF (3.0 kg/ha)
Dingo* + Nutri-Phite PGA	Spitfire* + Nutri-Phite PGA	STOMP 400 SC + FMC SUPER 80®	Zypar* + FMC Jett + Bio Syl
Leystar* + Nutri-Phite PGA	STOMP 400 SC + FMC BORON 15®	STOMP 400 SC + FMC ZINC	Zypar* + FMC Manganese 400 + Bio Syl
PIXXARO + FMC JETT + BIO SYL	STOMP 400 SC + FMC COPPER®	STOMP 400 SC + MANIFOL®	

INSECTICIDES PLUS TRACE ELEMENTS			
Hallmark Zeon + Max-phi Manganese			

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

Important Note: Do not use any tank mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank mix restrictions apply. Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tan -mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES:
 Palio should always be used with an approved adjuvant.
 Do not mix Palio with OPs, MCPA and Dicamba.
 For products containing MCPA or Dicamba respect a 14 day interval between them and Palio.
 Do not harrow or roll within 7 days before or after an application of Palio.

KEY:
 *Topik is supported in mix with Palio up to the end of February.
 ®Residual herbicides can be used in mixture or short sequence with Palio while conditions are favourable for both products to work and weeds are small and actively growing. However, once soil moisture declines reducing residual activity then a **4 week interval** between the residual herbicide and an application of Palio is recommended to maximise grass weed control - the tank mix is then no longer supported.
 *Do not exceed maximum total dose of florasulam within growing season.
 **Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.
 †Corteva Agriscience only support Palio in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.

UPDATES:
 February 2025: Removed Cyclops, Hiker, Ice, Impact, Kansas, Manitoba, Mirador Xtra, Priori Xtra, Vareon, Contest, Permasect, Intracrop Felix, Intracrop Warrior, Karate + Brock, added Surfer (adjuvant), Hurricane + Pixxaro + Surfer, Liberator + Pixxaro + Surfer, Picona + Pixxaro + Surfer, Stomp 400 EC + Pixxaro, Inatreq + Arizona + Elatus Plus, Inatreq + Arizona + Helix, Inatreq + Dithane 945 + Elatus Plus; August 2025: Added Quelex; September 2025: Added Mattera, removed Cinder mixes; December 2025: Updated website address; February 2026: Adjusted guidance on liquid fertiliser intervals between applications and removed Dithane mixes; 2nd April 2026 - added Gramitrel

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
 Corteva Agriscience™, Unit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB.
 ™ ® Trademarks of Corteva Agriscience and its affiliated companies.
 All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
 Palio contains florasulam and pyroxsulam
 Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.com/uk

PALIO® TANK MIX COMPATIBILITY in SPRING WHEAT

PLEASE NOTE THE MAXIMUM DOSE RATE OF PALIO® IN SPRING WHEAT IS 200 gm/ha. APPLICATION IS FROM 1ST MARCH ONLY

SPRING WHEAT IS DEFINED AS ANY WHEAT PLANTED AFTER 1ST FEBRUARY REGARDLESS OF VARIETAL BREEDING

PLEASE ENSURE YOU READ THE NOTES SECTION

This version supersedes all previous editions

Normal = Physically Compatible	<i>Italics = Physically Compatible with Continuous Agitation</i>	Red on Blue = Physically Incompatible
BOLD CAPITALS = Physically & Biologically Compatible	<i>Bold Italics</i> = Biologically Compatible with Continuous Agitation	RED ON BLUE = CROP INJURY - INCOMPATIBLE

HERBICIDES

NO JOINT APPLICATIONS WITH ALS CONTAINING PRODUCTS APPROVED ON SPRING WHEAT

AXIAL PRO	HURRICANE + PIXXARO + BIOSYL	MCPA (14 day interval)	
DUPLOSAN KV	LIBERATOR + PIXXARO + BIOSYL	PIXXARO + BIOSYL	

FUNGICIDES

Aquino + Arizona + Syrex	AVIATOR 235 XPRO + CYFLAMID	ELATUS ERA + MIRROR	MOJAVE + PROSARO
Aquino + Syrex	AVIATOR 235 XPRO + MIRROR	ELATUS ERA + MOJAVE	PEACOCK + PRIAXOR
ARIZONA	AVIATOR 235 XPRO + MOJAVE	ELATUS ERA + TALUS	PEQTIGA + ELATUS PLUS
ARIZONA + AVIATOR 235 XPRO	AVIATOR 235 XPRO + TALUS	ELATUS PLUS + PEACOCK	PEQTIGA + TESANTO
ARIZONA + ELATUS ERA	AVIATOR 235 XPRO + VEGAS	Flyer + Mojave + Vegas	PRIAXOR
ARIZONA + ELATUS PLUS + PEACOCK	COLORADO	Guardian*	PROLINE 275
ARIZONA + INCONIQ + VELOGY PLUS	COLORADO + ELATUS ERA	INCONIQ + VELOGY PLUS	PROSARO*
ARIZONA + LIBRAX	COLORADO + LIBRAX	LIBRAX	PROSARO* + TALUS
ARIZONA + PEACOCK + PRIAXOR	COLORADO + PROSARO	LIBRAX + MIRROR	Provyto XE
ARIZONA + PEQTIGA + ELATUS PLUS	COMET 200	LIBRAX + MOJAVE	QUESTAR + VELOGY PLUS
Arizona + Peqtiga + Helix	CYFLAMID	LIBRAX + TALUS	Revystar XE
ARIZONA + PEQTIGA + TESANTO	DECOY 250EC	MIRROR	Sentinel*
ARIZONA + PROSARO	Decoy 250EC + Kavatur Plus + Mojave	MIRROR + PROSARO	TALUS
ARIZONA + QUESTAR + VELOGY PLUS	Decoy 250EC + Mojave + Serpent	Mivito XE	UNIVIOQ
Ascro Xpro	Decoy 250EC + Mojave + Silvran Pro	MOJAVE	VEGAS
AVIATOR 235 XPRO	Diadem XE	Mojave + Myresa + Syrex	Verydor XE
AVIATOR 235 XPRO + COLORADO	ELATUS ERA	Mojave + Vegas	

INSECTICIDES DO NOT mix with OP insecticides, as potential crop damage due to a counteraction of the safener, leave at least a 14 day interval

Clayton Sparta	HALLMARK ZEON	KUSTI	Sven
----------------	---------------	-------	------

ADJUVANTS

ABACUS (1% of spray vol)	BOOST (Zantra), TONTO (Frontier)	KINETIC (50 ml/ha)	Surfer (0.5% of spray vol)
ACTIVATOR 90 (0.1% of spray vol)	BUZZ (0.1% of spray vol)	Nelson	TORPEDO II (0.1% of spray vol)
ACTIVATOR 90 (0.1% of spray vol) + X-Change	DIAMOND (0.5% of spray vol)	RESPOND (0.5% of spray vol)	Validate (0.5% of spray vol)
ARMA (0.1% of spray vol)	DRILL (0.5% of spray vol)	ROLLER (50 ml/ha)	Velocity (0.5% of spray vol)
BIOPOWER (1.0 l/ha)	FELIX (0.5% of spray vol)	SPARTAN (0.1% of spray vol)	VIKING (0.5% of spray vol)
BIOSYL (1.0% of spray vol) + X-Change	FORTUNE (0.5% of spray vol)	SPRYTE AQUA (0.5% of spray vol) + X-Change	X-change
BIOSYL (1.0% of spray vol) aka Cogent (Procam)	KANTOR (0.15% of spray vol)	Spryte Aqua CF	

PLANT GROWTH REGULATORS Leave 7 day interval for full rate PGRs. When tank mixing use Palio + adjuvant plus half rate CCC only†

3C CHLORMEQUAT 750 (<half dose)†			
----------------------------------	--	--	--

TRACE ELEMENTS For Liquid fertilisers - leave a 7 day interval

Bortrac (3.0 l/ha)	Liquid Mn 15% (3.0 l/ha)	MaxMan 400 (add trace element first)	Rapitrel (3.0 l/ha)
Calfite Extra	Magflo 300 (4.0 l/ha)	Max-phi Manganese	Safe-N 300 (10 l/ha)
Coptrel 500 (0.5 l/ha)	Magistrate (5.0 l/ha)	Mensa (5.0 l/ha) + Abacus	SMART ATS
Croplift Pro (5.0 kg/ha)	Magphos K (10 l/ha)	Multiple Pro (1.0 l/ha)	SMART Magiik Manganese
EpsaTop + Abacus	Maize Boost (5.0 l/ha)	NTS Triple Ten (4.0 l/ha)	SMART Manganese
Foliar Potash (10 l/ha)	Mancozin (2.0 l/ha)	Nutrino-Pro (20 l/ha)	Stem
FMC BORON 15	Mancoflo (2.0 l/ha)	Nutri-Phite PGA	Stopit (10 l/ha)
FMC Brock	MANIFOL	Proleaf Gate (3.5 l/ha)	Sulphur F3000 (10 l/ha)
FMC COPPER	MANTRAC DF (3.0 kg)	Proleaf Jettzin (3.0 l/ha)	Terrasorb Foliar Extra (2.0 l/ha)
FMC Mn 500	Mantrac Pro (1.0 l/ha)	Proleaf Manganese Extra (2.5 l/ha)	Zintrac 700 (1.0 l/ha)
FMC SUPER 80	Master Magnesium + TE + pH modifier Optiphil	Proleaf Quattro (1.5 l/ha)	
Gramitrel (2.0 l/ha)	Master Manganese Plus	Proleaf Rock (1.0 l/ha)	

This summary sheet provides information on tank mixes conducted with this product. Corteva Agriscience™ gives no warranty or accepts no liability in respect to compatibilities that are beyond the label. This additional information is for guidance purposes only and use is at grower's risk.

Important Note: Do not use any tank mix if the mixture cannot be applied within the label recommendations for individual products or if specific tank mix restrictions apply.

Larger, more complicated mixes; unlisted mixes or replacing alternative products to those listed in this table are not endorsed. However, for further information or to register a tank mix request please contact your local Corteva representative or call the Hotline on 0800 689 8899.

Physical compatibility data is based on the results of an industry recognised standard test. Be aware that in the field, water hardness, pH, temperature etc. can vary. Biological compatibility data are based on a small number of field trials, Corteva Agriscience™ cannot warrant the efficacy of other tank mix partners. Where only Physical Compatibility or Sprayable with Continuous Agitation is shown, Corteva Agriscience™ has no biological data regarding efficacy or crop safety and only has data on physical compatibility, so growers use these mixes at their own risk.

NOTES:

Palio should always be used with an approved adjuvant.

Do not mix Palio with OPs, MCPA and Dicamba.

For products containing MCPA or Dicamba respect a 14 day interval between them and Palio.

Do not harrow or roll within 7 days before or after an application of Palio.

KEY:

*Do not use this mix if the crop is under stress as there is the increased risk of an additive PGR effect and possible crop damage.

†Corteva Agriscience only support Palio in a 2-way tank mix with half rate chlormequat due to crop safety issues. An interval of at least **7 days** must be regarded before applying a higher rate of chlormequat or any other PGR.

UPDATES:

February 2025: Removed Intracrop Felix, Intracrop Warrior, added Inatreq + Arizona + Elatus Plus, Univoq, Inatreq + Priaxor/Syrex; December 2025: Updated website address; February 2026: Adjusted guidance on liquid fertiliser intervals between applications and removed Dithane mixes; 2nd April 2026 - added Gramitrel

USE PLANT PROTECTION PRODUCTS SAFELY. ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE.
FOR FURTHER INFORMATION INCLUDING WARNING PHRASES AND SYMBOLS PLEASE REFER TO THE PRODUCT LABEL
Corteva Agriscience™, Unit H, Building H4, Melbourn Science Park, Cambridge Road, Melbourn, Cambridgeshire, SG8 6HB.
™ & ® Trademarks of Corteva Agriscience and its affiliated companies.
All other brand names are trademarks of other manufacturers for which proprietary rights may exist.
Palio contains florasulam and pyroxsulam
Hotline: 0800 689 8899 | ukhotline@corteva.com | corteva.com/uk