

SureStart® II Herbicide

Supplement to Bulk Storage and Handling Guide

This product-specific information supplements the Corteva Agriscience™ “Bulk Storage and Handling Guide”. Use these documents together to understand the requirements for a bulk storage facility of this product. To obtain additional copies of this Bulk Storage & Handling Guide, or this product-specific Supplement, see <https://BulkHandlingGuides.corteva.us> or contact your Corteva Territory Manager or Sales Representative.

General Storage Comments

SureStart® II herbicide is an easily handled suspension that should be mixed once just prior to the season.

Product Density vs. Temperature

Temperature °F (°C)	30 (-1)	40 (4)	50 (10)	60 (16)	70 (21)	80 (27)	
Density (lb./gal.)	9.05	9.03	9.02	9.00	8.99	8.97	

Flash Point, NFPA Rating, Storage Temperature, and Signal Word

Flash Point ¹ °F (°C)	NFPA 704 Diamond Ratings			Min. Storage Temperature °F (°C)	EPA Signal Word
	Health	Flammability	Reactivity		
>212 (>100)	1	0	0	None. Product can freeze.	Warning

See “Product Information & Safety” section of Bulk Storage & Handling Guide for more information.

Material / Product Compatibility	Rating	Comment
Stainless Steel, Glass Lined Steel, Tin	OK	Stainless steel preferred.
Silicone Rubber	OK	Preferred elastomer.
Polypropylene, Polyethylene (crosslinked, high-density and low-density), Delrin, Teflon (PTFE)	OK	Good resistance.
Butyl Rubber, EPDM Rubber,	Caution	EPDM & butyl rubber may swell and soften moderately, but have useful resistance
Nylon	Caution	Softens and loses tensile strength. May discolor. Not recommended.
Aluminum, Zinc, Galvanized Steel	No	Relatively severe pitting of aluminum at liquid-vapor interface. Solid corrosion byproduct formation possible.
Mild Steel, Brass, Bronze, Copper	No	Slight to moderate corrosion due to water in formulation. Will discolor formulation. May destabilize or separate formulation.

¹ The flash point of a liquid is the minimum temperature at which it gives off sufficient vapor to form an ignitable mixture with the air near the surface of the liquid or within the test vessel used.

SureStart® II Herbicide

Supplement to Bulk Storage and Handling Guide

Hypalon, SBR, Polyurethane, Neoprene, Buna N (nitrile), Viton, PVC, Tygon	No	Severe swelling or absorption
ABS, Polycarbonate	No	Disintegrates, embrittles, or stress cracks
Carboline Phenoline 300/302 Lining	No	

Bulk Tank Material of Construction and Requirements

Material of Construction	Stainless steel is preferred. If state and local laws permit, existing polyethylene storage tanks may be utilized if the tank is free of cracks, UV degradation or other signs of aging or structural defects. Corteva Agriscience will not bear risk or liability associated with the use of polyethylene bulk tanks. Carbon steel tanks are not recommended because of moderate corrosion to the tank and likely discoloration or phase separation of the product. Aluminum tanks are prohibited.
Venting Requirements	Normal venting.
Couplers	Standard 2" Kamlok ² Style Adapter with cap for receiving bulk deliveries.
Mixing Requirement	Mix the bulk tank well after each delivery and just prior to the use season. At minimum, circulate at least twice the tank volume. Off-season mixing is not required, however, mixing monthly is a good practice.

Refillable Container Handling

DOT	Not regulated by US Department of Transportation; however, containers must meet EPA requirements specified in the Pesticide Container & Containment Rule.
Material of Construction	Stainless steel is preferred. Polyethylene is allowed.
Mixing	SureStart® II should be mixed well just prior to the use season. Containers with built-in circulation are best. Over-the-top mixing may not be adequate to mix the bottom of the tank, which is the critical area. Where necessary, consider cascading product from source container into a target container, preferably while circulating the target container with a built-in pump that has circulation. View the bottom of the source container to assure no residues left behind.
Couplers	Standard couplers are acceptable.

NOTICE: The information, procedures, methods, and recommendations herein are presented in good faith and are believed to be accurate and reliable as of the publication date, but may well be incomplete and/or not applicable to all conditions or situations. No representation, guarantee, or warranty is made as to the accuracy, reliability, or completeness of said information, procedures, methods, and recommendations. Nor is any representation, guarantee, or warranty made that application or use of any of the same will avoid hazards, accidents, losses, damages, or injury of any kind to persons or property, or give desired results, or that the same will not infringe patents of Dow AgroSciences, DuPont or Pioneer and their affiliated companies. Readers must satisfy themselves as to the suitability of said information, procedures, methods, and recommendations prior to use.

Trademark of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners.

SureStart® II is not registered for sale or use in all states. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your state.

Rev. 08/2020



² Trademark of Civacon Corporation

SureStart® II Herbicide
Supplement to Bulk Storage and Handling Guide